

unit : mm

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
0.5	±0.08	1.5	±0.13
0.5	±0.08	2	±0.13
0.5	±0.08	5	±0.13
0.5	±0.08	8	±0.13
0.52	±0.08	2.5	±0.13
0.55	±0.08	4.8	±0.13
0.55	±0.08	8.2	±0.13
0.6	±0.08	1	±0.10
0.61	±0.08	3.81	±0.10
0.65	±0.08	2.2	±0.10
0.65	±0.08	11.3	±0.13
0.7	±0.08	22.1	±0.23
0.76	±0.08	26.2	±0.25
0.8	±0.08	1.5	±0.10
0.8	±0.08	2	±0.10
0.8	±0.08	2.4	±0.10
0.8	±0.08	2.95	±0.10
0.8	±0.08	9	±0.13
0.8	±0.08	10.5	±0.13
0.8	±0.08	11.3	±0.13
0.8	±0.08	28	±0.25
0.85	±0.08	7	±0.13
0.9	±0.08	2.8	±0.13
1	±0.08	0.5	±0.10
1	±0.08	0.85	±0.10
1	±0.08	0.9	±0.10
1	±0.08	1	±0.10
1	±0.08	1.15	±0.10
1	±0.08	1.5	±0.10
1	±0.08	1.7	±0.10
1	±0.08	2	±0.13
1	±0.08	2.2	±0.13
1	±0.08	2.5	±0.13
1	±0.08	2.7	±0.13
1	±0.08	3	±0.13
1	±0.08	3.3	±0.13
1	±0.08	3.5	±0.13
1	±0.08	4	±0.13
1	±0.08	4.3	±0.13
1	±0.08	4.5	±0.13
1	±0.08	5	±0.13
1	±0.08	5.5	±0.13
1	±0.08	6	±0.13
1	±0.08	6.5	±0.13
1	±0.08	7	±0.13
1	±0.08	7.5	±0.13
1	±0.08	8	±0.13
1	±0.08	8.5	±0.13
1	±0.08	9	±0.13
1	±0.08	9.5	±0.13
1	±0.08	10	±0.13
1	±0.08	10.5	±0.13
1	±0.08	11	±0.13
1	±0.08	11.3	±0.13
1	±0.08	12	±0.13
1	±0.08	12.5	±0.13
1	±0.08	13	±0.18
1	±0.08	14	±0.18
1	±0.08	15	±0.18
1	±0.08	16	±0.18
1	±0.08	17	±0.18
1	±0.08	17.5	±0.18

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2	±0.08	1	±0.10
2	±0.08	2	±0.13
2	±0.08	2.5	±0.13
2	±0.08	3	±0.13
2	±0.08	3.5	±0.13
2	±0.08	4	±0.13
2	±0.08	4.25	±0.13
2	±0.08	4.5	±0.13
2	±0.08	5	±0.13
2	±0.08	5.1	±0.13
2	±0.08	5.5	±0.13
2	±0.08	6	±0.13
2	±0.08	6.5	±0.13
2	±0.08	7	±0.13
2	±0.08	7.5	±0.13
2	±0.08	8	±0.13
2	±0.08	8.5	±0.13
2	±0.08	9	±0.13
2	±0.08	9.5	±0.13
2	±0.08	10	±0.13
2	±0.08	10.5	±0.13
2	±0.08	11	±0.13
2	±0.08	11.5	±0.13
2	±0.08	12	±0.13
2	±0.08	12.5	±0.13
2	±0.08	13	±0.18
2	±0.08	13.5	±0.18
2	±0.08	14	±0.18
2	±0.08	14.5	±0.23
2	±0.08	15	±0.23
2	±0.08	15.5	±0.23
2	±0.08	16	±0.23
2	±0.08	17	±0.23
2	±0.08	17.5	±0.23
2	±0.08	18	±0.23
2	±0.08	18.5	±0.23
2	±0.08	19	±0.23
2	±0.08	20	±0.23
2	±0.08	20.5	±0.23
2	±0.08	21	±0.23
2	±0.08	21.5	±0.23
2	±0.08	22	±0.23
2	±0.08	22.5	±0.23
2	±0.08	23	±0.23
2	±0.08	23.5	±0.23
2	±0.08	24	±0.25
2	±0.08	25	±0.25
2	±0.08	26	±0.25
2	±0.08	26.5	±0.25
2	±0.08	27	±0.25
2	±0.08	27.5	±0.25
2	±0.08	28	±0.25
2	±0.08	28.5	±0.25
2	±0.08	29	±0.30
2	±0.08	30	±0.30
2	±0.08	31	±0.30
2	±0.08	32	±0.30
2	±0.08	33	±0.30
2	±0.08	34	±0.30
2	±0.08	34.5	±0.30
2	±0.08	35	±0.30
2	±0.08	36	±0.30

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3	±0.10	3	±0.13
3	±0.10	3.5	±0.13
3	±0.10	4	±0.13
3	±0.10	4.5	±0.13
3	±0.10	5.2	±0.13
3	±0.10	5.6	±0.13
3	±0.10	6	±0.13
3	±0.10	6.5	±0.13
3	±0.10	7	±0.13
3	±0.10	7.5	±0.13
3	±0.10	8	±0.13
3	±0.10	8.6	±0.13
3	±0.10	9	±0.13
3	±0.10	9.15	±0.13
3	±0.10	9.5	±0.13
3	±0.10	10	±0.13
3	±0.10	10.5	±0.13
3	±0.10	11	±0.13
3	±0.10	11.5	±0.13
3	±0.10	12	±0.13
3	±0.10	12.5	±0.13
3	±0.10	13	±0.18
3	±0.10	13.5	±0.18
3	±0.10	14	±0.18
3	±0.10	14.5	±0.18
3	±0.10	15	±0.23
3	±0.10	15.5	±0.23
3	±0.10	15.9	±0.23
3	±0.10	17	±0.23
3	±0.10	17.5	±0.23
3	±0.10	18	±0.23
3	±0.10	18.5	±0.23
3	±0.10	19	±0.23
3	±0.10	19.5	±0.23
3	±0.10	20	±0.23
3	±0.10	20.5	±0.23
3	±0.10	21	±0.23
3	±0.10	22	±0.23
3	±0.10	22.5	±0.23
3	±0.10	23	±0.23
3	±0.10	23.5	±0.23
3	±0.10	24	±0.25
3	±0.10	25	±0.25
3	±0.10	26	±0.25
3	±0.10	27	±0.25
3	±0.10	27.5	±0.25
3	±0.10	28	±0.25
3	±0.10	28.5	±0.25
3	±0.10	29.2	±0.28
3	±0.10	30	±0.28
3	±0.10	30.8	±0.28
3	±0.10	31	±0.28
3	±0.10	31.5	±0.28
3	±0.10	32	±0.28
3	±0.10	32.5	±0.28
3	±0.10	33	±0.28
3	±0.10	33.5	±0.28
3	±0.10	34	±0.33
3	±0.10	34.2	±0.33
3	±0.10	35	±0.33
3	±0.10	35.8	±0.33
3	±0.10	36.5	±0.33

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1	±0.08	18	±0.18
1	±0.08	18.5	±0.18
1	±0.08	19	±0.18
1	±0.08	19.5	±0.18
1	±0.08	20	±0.18
1	±0.08	20.5	±0.18
1	±0.08	21	±0.18
1	±0.08	22	±0.18
1	±0.08	23	±0.18
1	±0.08	24	±0.23
1	±0.08	25	±0.23
1	±0.08	26	±0.23
1	±0.08	27.5	±0.23
1	±0.08	28	±0.23
1	±0.08	29.4	±0.23
1	±0.08	30	±0.25
1	±0.08	31	±0.25
1	±0.08	32	±0.25
1	±0.08	34	±0.28
1	±0.08	35	±0.28
1	±0.08	36	±0.28
1	±0.08	37	±0.28
1	±0.08	38	±0.28
1	±0.08	39	±0.28
1	±0.08	40	±0.28
1	±0.08	41	±0.33
1	±0.08	42	±0.38
1	±0.08	43	±0.38
1	±0.08	45	±0.38
1	±0.08	46	±0.38
1	±0.08	48	±0.46
1	±0.08	49	±0.46
1	±0.08	50	±0.46
1	±0.08	51	±0.46
1	±0.08	52	±0.46
1	±0.08	53	±0.46
1	±0.08	54	±0.46
1	±0.08	55	±0.46
1	±0.08	56	±0.46
1	±0.08	57	±0.46
1	±0.08	58	±0.46
1	±0.08	60	±0.46
1	±0.08	62	±0.46
1	±0.08	63	±0.46
1	±0.08	65	±0.51
1	±0.08	67	±0.51
1	±0.08	68	±0.51
1	±0.08	70	±0.51
1	±0.08	74	±0.61
1	±0.08	78	±0.61
1	±0.08	80	±0.61
1	±0.08	83	±0.61
1	±0.08	85	±0.61
1	±0.08	90	±0.69
1	±0.08	92	±0.69
1	±0.08	93	±0.69
1	±0.08	94	±0.69
1	±0.08	97	±0.69
1	±0.08	100	±0.69
1	±0.08	105	±0.69
1	±0.08	110	±0.76
1	±0.08	115	±0.76
1	±0.08	120	±0.76
1	±0.08	125	±0.94
1	±0.08	135	±0.94
1	±0.08	378	±1.78

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2	±0.08	37	±0.30
2	±0.08	37.5	±0.38
2	±0.08	38	±0.38
2	±0.08	38.5	±0.38
2	±0.08	39	±0.38
2	±0.08	40	±0.38
2	±0.08	41	±0.38
2	±0.08	42	±0.38
2	±0.08	43	±0.38
2	±0.08	43.2	±0.38
2	±0.08	44	±0.38
2	±0.08	44.5	±0.38
2	±0.08	45	±0.38
2	±0.08	46	±0.38
2	±0.08	47	±0.38
2	±0.08	48	±0.43
2	±0.08	49	±0.43
2	±0.08	50	±0.43
2	±0.08	51	±0.43
2	±0.08	52	±0.51
2	±0.08	53	±0.51
2	±0.08	53.69	±0.51
2	±0.08	54	±0.51
2	±0.08	55	±0.51
2	±0.08	56	±0.51
2	±0.08	57	±0.51
2	±0.08	57.5	±0.51
2	±0.08	58	±0.51
2	±0.08	59	±0.51
2	±0.08	60	±0.51
2	±0.08	61	±0.51
2	±0.08	62	±0.51
2	±0.08	63	±0.51
2	±0.08	64	±0.51
2	±0.08	65	±0.51
2	±0.08	66	±0.51
2	±0.08	67	±0.56
2	±0.08	68	±0.56
2	±0.08	69	±0.56
2	±0.08	70	±0.56
2	±0.08	72	±0.56
2	±0.08	73	±0.56
2	±0.08	74	±0.61
2	±0.08	75	±0.61
2	±0.08	76	±0.61
2	±0.08	78	±0.61
2	±0.08	80	±0.61
2	±0.08	82	±0.61
2	±0.08	84	±0.61
2	±0.08	85	±0.61
2	±0.08	86	±0.61
2	±0.08	87	±0.61
2	±0.08	89	±0.69
2	±0.08	90	±0.69
2	±0.08	92	±0.69
2	±0.08	93	±0.69
2	±0.08	95	±0.69
2	±0.08	96	±0.69
2	±0.08	99	±0.69
2	±0.08	100	±0.69
2	±0.08	103	±0.69
2	±0.08	107	±0.76
2	±0.08	109	±0.76
2	±0.08	110	±0.76
2	±0.08	112	±0.76
2	±0.08	114	±0.76

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3	±0.10	37	±0.33
3	±0.10	37.5	±0.33
3	±0.10	38	±0.33
3	±0.10	39.2	±0.33
3	±0.10	40	±0.33
3	±0.10	41	±0.33
3	±0.10	41.5	±0.33
3	±0.10	42.5	±0.38
3	±0.10	43	±0.38
3	±0.10	43.5	±0.38
3	±0.10	44	±0.38
3	±0.10	45	±0.38
3	±0.10	46	±0.38
3	±0.10	46.5	±0.38
3	±0.10	47	±0.38
3	±0.10	47.5	±0.38
3	±0.10	48	±0.46
3	±0.10	49	±0.46
3	±0.10	49.5	±0.46
3	±0.10	50	±0.46
3	±0.10	51	±0.46
3	±0.10	52	±0.46
3	±0.10	53	±0.46
3	±0.10	54	±0.46
3	±0.10	55	±0.46
3	±0.10	55.5	±0.46
3	±0.10	56	±0.46
3	±0.10	57	±0.46
3	±0.10	58	±0.46
3	±0.10	59	±0.46
3	±0.10	60	±0.46
3	±0.10	61	±0.46
3	±0.10	62	±0.46
3	±0.10	63	±0.46
3	±0.10	65	±0.51
3	±0.10	66	±0.51
3	±0.10	67	±0.61
3	±0.10	68	±0.61
3	±0.10	69	±0.61
3	±0.10	70	±0.61
3	±0.10	71	±0.61
3	±0.10	72	±0.61
3	±0.10	73	±0.61
3	±0.10	74	±0.61
3	±0.10	75	±0.61
3	±0.10	76	±0.61
3	±0.10	77	±0.61
3	±0.10	78	±0.61
3	±0.10	80	±0.61
3	±0.10	81	±0.61
3	±0.10	83	±0.61
3	±0.10	84	±0.61
3	±0.10	85	±0.61
3	±0.10	86	±0.61
3	±0.10	87	±0.61
3	±0.10	88	±0.61
3	±0.10	89	±0.61
3	±0.10	89.5	±0.71
3	±0.10	90	±0.71
3	±0.10	91	±0.71
3	±0.10	92	±0.71
3	±0.10	93	±0.71
3	±0.10	94	±0.71
3	±0.10	95	±0.71
3	±0.10	97	±0.71
3	±0.10	98	±0.71

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1	±0.08	379	±1.78
1.03	±0.08	13.05	±0.18
1.03	±0.08	44	±0.38
1.1	±0.08	1.5	±0.10
1.1	±0.08	2.8	±0.13
1.1	±0.08	8.8	±0.13
1.1	±0.08	12.5	±0.13
1.14	±0.08	9.25	±0.13
1.15	±0.08	5.7	±0.13
1.15	±0.08	1.15	±0.13
1.17	±0.08	10.41	±0.13
1.2	±0.08	1.8	±0.10
1.2	±0.08	3.5	±0.13
1.2	±0.08	4	±0.13
1.2	±0.08	5	±0.13
1.2	±0.08	6	±0.13
1.2	±0.08	6.5	±0.13
1.2	±0.08	7	±0.13
1.2	±0.08	9	±0.13
1.2	±0.08	11.6	±0.13
1.2	±0.08	18.5	±0.23
1.2	±0.08	26	±0.25
1.2	±0.08	28	±0.25
1.2	±0.08	76.5	±0.61
1.25	±0.08	1.25	±0.10
1.25	±0.10	1.4	±0.10
1.25	±0.10	1.6	±0.10
1.25	±0.08	2	±0.13
1.25	±0.08	2.9	±0.13
1.25	±0.08	8	±0.13
1.25	±0.08	13	±0.18
1.25	±0.08	16	±0.18
1.25	±0.08	77.2	±0.61
1.25	±0.08	80	±0.61
1.25	±0.08	85.8	±0.61
1.27	±0.08	1.07	±0.10
1.27	±0.08	3.8	±0.13
1.27	±0.08	15.87	±0.23
1.3	±0.08	2.5	±0.13
1.3	±0.08	6	±0.13
1.3	±0.08	7.95	±0.13
1.3	±0.08	9.7	±0.13
1.3	±0.08	10	±0.13
1.3	±0.08	15	±0.18
1.3	±0.08	20	±0.23
1.3	±0.08	30	±0.28
1.3	±0.08	40	±0.33
1.35	±0.08	3.5	±0.13
1.4	±0.08	6.7	±0.13
1.4	±0.08	7.5	±0.13
1.4	±0.08	9.2	±0.13
1.4	±0.08	31.75	±0.28
1.45	±0.08	9.5	±0.13
1.5	±0.08	1.85	±0.13
1.5	±0.08	2	±0.13
1.5	±0.08	2.3	±0.13
1.5	±0.08	2.5	±0.13
1.5	±0.08	3	±0.13
1.5	±0.08	3.5	±0.13
1.5	±0.08	3.8	±0.13
1.5	±0.08	4	±0.13
1.5	±0.08	4.5	±0.13
1.5	±0.08	4.8	±0.13
1.5	±0.08	5.5	±0.13
1.5	±0.08	5.9	±0.13
1.5	±0.08	6	±0.13

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2	±0.08	116	±0.76
2	±0.08	118	±0.76
2	±0.08	119	±0.76
2	±0.08	120	±0.76
2	±0.08	122	±0.89
2	±0.08	124	±0.89
2	±0.08	125	±0.89
2	±0.08	126	±0.89
2	±0.08	128	±0.89
2	±0.08	130	±0.89
2	±0.08	132	±0.89
2	±0.08	135	±0.89
2	±0.08	136	±0.89
2	±0.08	138	±0.89
2	±0.08	139	±0.89
2	±0.08	141.5	±0.89
2	±0.08	143	±0.89
2	±0.08	146	±0.89
2	±0.08	148	±0.89
2	±0.08	150	±0.89
2	±0.08	153	±1.02
2	±0.08	155	±1.02
2	±0.08	158	±1.02
2	±0.08	160	±1.02
2	±0.08	164	±1.02
2	±0.08	166	±1.02
2	±0.08	168	±1.02
2	±0.08	170	±1.02
2	±0.08	172	±1.02
2	±0.08	175	±1.02
2	±0.08	178	±1.14
2	±0.08	180	±1.14
2	±0.08	182	±1.14
2	±0.08	185	±1.14
2	±0.08	188	±1.14
2	±0.08	190	±1.14
2	±0.08	195	±1.14
2	±0.08	200	±1.14
2	±0.08	205	±1.27
2	±0.08	210	±1.27
2	±0.08	218	±1.27
2	±0.08	225	±1.27
2	±0.08	230	±1.40
2	±0.08	235	±1.40
2	±0.08	240	±1.40
2	±0.08	250	±1.40
2	±0.08	260	±1.40
2	±0.08	265	±1.40
2	±0.08	270	±1.40
2	±0.08	274	±1.40
2	±0.08	290	±1.40
2	±0.08	310	±1.65
2	±0.08	320	±1.65
2	±0.08	330	±1.65
2	±0.08	350	±1.65
2	±0.08	459	±2.16
2.04	±0.08	45.5	±0.38
2.05	±0.08	64.6	±0.51
2.05	±0.08	105	±0.76
2.1	±0.08	8	±0.13
2.1	±0.08	19.4	±0.23
2.18	±0.08	130	±0.89
2.2	±0.08	3	±0.13
2.2	±0.08	4	±0.13
2.2	±0.08	4.9	±0.13
2.2	±0.08	6	±0.13

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3	±0.10	100	±0.71
3	±0.10	102	±0.71
3	±0.10	103	±0.71
3	±0.10	104.2	±0.71
3	±0.10	105	±0.76
3	±0.10	106	±0.76
3	±0.10	108	±0.76
3	±0.10	110	±0.76
3	±0.10	112	±0.76
3	±0.10	117	±0.76
3	±0.10	118	±0.76
3	±0.10	120	±0.76
3	±0.10	122	±0.89
3	±0.10	125	±0.89
3	±0.10	126	±0.89
3	±0.10	128	±0.89
3	±0.10	129.5	±0.89
3	±0.10	130	±0.89
3	±0.10	132	±0.89
3	±0.10	135	±0.89
3	±0.10	137	±0.89
3	±0.10	139	±0.89
3	±0.10	142	±0.89
3	±0.10	143	±0.89
3	±0.10	145	±0.89
3	±0.10	147	±0.89
3	±0.10	149.5	±0.89
3	±0.10	150	±0.89
3	±0.10	153	±1.02
3	±0.10	154.5	±1.02
3	±0.10	156	±1.02
3	±0.10	160	±1.02
3	±0.10	162	±1.02
3	±0.10	164.5	±1.02
3	±0.10	165	±1.02
3	±0.10	167	±1.02
3	±0.10	169.5	±1.02
3	±0.10	172	±1.02
3	±0.10	175	±1.02
3	±0.10	177	±1.02
3	±0.10	179	±1.14
3	±0.10	180	±1.14
3	±0.10	182	±1.14
3	±0.10	184	±1.14
3	±0.10	185	±1.14
3	±0.10	190	±1.14
3	±0.10	193	±1.14
3	±0.10	195	±1.14
3	±0.10	200	±1.14
3	±0.10	205	±1.27
3	±0.10	210	±1.27
3	±0.10	214	±1.27
3	±0.10	215	±1.27
3	±0.10	216	±1.27
3	±0.10	220	±1.27
3	±0.10	225	±1.27
3	±0.10	228	±1.27
3	±0.10	230	±1.40
3	±0.10	236	±1.40
3	±0.10	240	±1.40
3	±0.10	245	±1.40
3	±0.10	250	±1.40
3	±0.10	255	±1.40
3	±0.10	260	±1.40
3	±0.10	264	±1.40
3	±0.10	270	±1.65

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1.5	±0.08	6.5	±0.13
1.5	±0.08	7	±0.13
1.5	±0.08	7.5	±0.13
1.5	±0.08	8	±0.13
1.5	±0.08	8.5	±0.13
1.5	±0.08	9	±0.13
1.5	±0.08	10.5	±0.13
1.5	±0.08	11	±0.13
1.5	±0.08	11.5	±0.13
1.5	±0.08	12	±0.13
1.5	±0.08	12.5	±0.13
1.5	±0.08	13.3	±0.18
1.5	±0.08	13.5	±0.18
1.5	±0.08	16	±0.23
1.5	±0.08	16.5	±0.23
1.5	±0.08	17	±0.23
1.5	±0.08	17.5	±0.23
1.5	±0.08	18	±0.23
1.5	±0.08	19	±0.23
1.5	±0.08	19.5	±0.23
1.5	±0.08	20	±0.23
1.5	±0.08	20.5	±0.23
1.5	±0.08	21	±0.23
1.5	±0.08	21.5	±0.23
1.5	±0.08	22	±0.23
1.5	±0.08	22.5	±0.23
1.5	±0.08	23	±0.23
1.5	±0.08	24	±0.25
1.5	±0.08	25	±0.25
1.5	±0.08	25.5	±0.25
1.5	±0.08	26	±0.25
1.5	±0.08	27	±0.25
1.5	±0.08	27.5	±0.25
1.5	±0.08	28	±0.25
1.5	±0.08	29	±0.28
1.5	±0.08	30	±0.28
1.5	±0.08	31	±0.28
1.5	±0.08	32	±0.28
1.5	±0.08	33	±0.28
1.5	±0.08	34	±0.33
1.5	±0.08	35	±0.33
1.5	±0.08	36	±0.33
1.5	±0.08	37.5	±0.33
1.5	±0.08	38	±0.33
1.5	±0.08	39	±0.33
1.5	±0.08	40	±0.33
1.5	±0.08	41	±0.33
1.5	±0.08	42	±0.38
1.5	±0.08	43	±0.38
1.5	±0.08	44	±0.38
1.5	±0.08	45	±0.38
1.5	±0.08	46	±0.38
1.5	±0.08	47	±0.38
1.5	±0.08	48	±0.46
1.5	±0.08	49	±0.46
1.5	±0.08	50	±0.46
1.5	±0.08	51	±0.46
1.5	±0.08	52	±0.46
1.5	±0.08	53	±0.46
1.5	±0.08	54	±0.46
1.5	±0.08	55	±0.46
1.5	±0.08	56	±0.46
1.5	±0.08	57	±0.46
1.5	±0.08	58	±0.46
1.5	±0.08	59	±0.46
1.5	±0.08	60	±0.46

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2.2	±0.08	7.5	±0.13
2.2	±0.08	9	±0.13
2.2	±0.08	11	±0.13
2.2	±0.08	11.3	±0.13
2.2	±0.08	15.3	±0.23
2.2	±0.08	20	±0.23
2.2	±0.08	28	±0.25
2.2	±0.08	32	±0.30
2.2	±0.08	39.8	±0.38
2.2	±0.08	42.8	±0.38
2.2	±0.08	80.5	±0.61
2.2	±0.08	98	±0.71
2.2	±0.08	133.6	±0.89
2.21	±0.08	16.36	±0.23
2.25	±0.08	10	±0.13
2.25	±0.08	18	±0.23
2.3	±0.08	12.7	±0.13
2.3	±0.08	13	±0.13
2.3	±0.08	23	±0.25
2.3	±0.08	27.8	±0.25
2.3	±0.08	50	±0.43
2.35	±0.08	104.5	±0.76
2.38	±0.08	36.51	±0.30
2.4	±0.08	3.3	±0.13
2.4	±0.08	3.55	±0.13
2.4	±0.08	3.9	±0.13
2.4	±0.08	4.3	±0.13
2.4	±0.08	5.3	±0.13
2.4	±0.08	6.3	±0.13
2.4	±0.08	6.6	±0.13
2.4	±0.08	7.3	±0.13
2.4	±0.08	7.6	±0.13
2.4	±0.08	8.3	±0.13
2.4	±0.08	9.3	±0.13
2.4	±0.08	9.8	±0.13
2.4	±0.08	10.3	±0.13
2.4	±0.08	10.8	±0.13
2.4	±0.08	11	±0.13
2.4	±0.08	11.5	±0.13
2.4	±0.08	11.8	±0.13
2.4	±0.08	12.5	±0.13
2.4	±0.08	12.8	±0.15
2.4	±0.08	13.3	±0.15
2.4	±0.08	13.8	±0.15
2.4	±0.08	14.3	±0.15
2.4	±0.08	14.8	±0.23
2.4	±0.08	15.3	±0.23
2.4	±0.08	15.8	±0.23
2.4	±0.08	16.3	±0.23
2.4	±0.08	16.8	±0.23
2.4	±0.08	17.3	±0.23
2.4	±0.08	17.8	±0.23
2.4	±0.08	18.8	±0.23
2.4	±0.08	19.8	±0.25
2.4	±0.08	20.3	±0.25
2.4	±0.08	20.8	±0.25
2.4	±0.08	21.3	±0.25
2.4	±0.08	21.8	±0.25
2.4	±0.08	23.3	±0.25
2.4	±0.08	24.6	±0.25
2.4	±0.08	25.3	±0.25
2.4	±0.08	27.4	±0.25
2.4	±0.08	29.3	±0.30
2.4	±0.08	30.3	±0.30
2.4	±0.08	31.6	±0.30
2.4	±0.08	33.3	±0.30

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3	±0.10	274	±1.65
3	±0.10	277	±1.65
3	±0.10	280	±1.65
3	±0.10	285	±1.65
3	±0.10	290	±1.65
3	±0.10	292	±1.65
3	±0.10	295	±1.65
3	±0.10	300	±1.65
3	±0.10	305	±1.65
3	±0.10	310	±1.65
3	±0.10	315	±1.65
3	±0.10	320	±1.65
3	±0.10	325	±1.65
3	±0.10	330	±1.65
3	±0.10	340	±1.65
3	±0.10	345	±1.65
3	±0.10	346	±1.65
3	±0.10	350	±1.65
3	±0.10	350	±1.65
3	±0.10	355	±1.65
3	±0.10	360	±1.65
3	±0.10	370	±1.65
3	±0.10	375	±1.65
3	±0.10	385	±1.65
3	±0.10	390	±1.91
3	±0.10	395	±1.91
3	±0.10	400	±1.91
3	±0.10	415.5	±2.03
3	±0.10	420	±2.03
3	±0.10	430	±2.03
3	±0.10	435	±2.03
3	±0.10	440	±2.16
3	±0.10	475	±2.29
3	±0.10	480	±2.29
3	±0.10	485	±2.41
3	±0.10	495	±2.41
3	±0.10	530	±2.41
3	±0.10	540	±2.54
3	±0.10	565	±2.54
3	±0.10	640	±3.05
3.05	±0.10	13.8	±0.18
3.1	±0.10	8.53	±0.13
3.1	±0.10	16.1	±0.23
3.1	±0.10	16.8	±0.23
3.1	±0.10	18	±0.25
3.1	±0.10	21.4	±0.25
3.1	±0.10	24.4	±0.25
3.1	±0.10	26.6	±0.25
3.1	±0.10	27.8	±0.30
3.1	±0.10	29.4	±0.30
3.1	±0.10	30.5	±0.30
3.1	±0.10	34.4	±0.30
3.1	±0.10	37.7	±0.38
3.1	±0.10	39.4	±0.38
3.1	±0.10	40.7	±0.38
3.1	±0.10	42	±0.38
3.1	±0.10	42.7	±0.38
3.1	±0.10	44.4	±0.38
3.1	±0.10	49.4	±0.46
3.1	±0.10	54.4	±0.46
3.1	±0.10	57.4	±0.51
3.1	±0.10	59.4	±0.51
3.1	±0.10	64	±0.51
3.1	±0.10	69.4	±0.61
3.1	±0.10	74	±0.61
3.1	±0.10	74.4	±0.61

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1.5	±0.08	62	±0.46
1.5	±0.08	63	±0.46
1.5	±0.08	64	±0.51
1.5	±0.08	65	±0.51
1.5	±0.08	67	±0.51
1.5	±0.08	70	±0.51
1.5	±0.08	71.5	±0.51
1.5	±0.08	73	±0.61
1.5	±0.08	74	±0.61
1.5	±0.08	76	±0.61
1.5	±0.08	78	±0.61
1.5	±0.08	80	±0.61
1.5	±0.08	83	±0.61
1.5	±0.08	85	±0.61
1.5	±0.08	87	±0.61
1.5	±0.08	90	±0.69
1.5	±0.08	91	±0.69
1.5	±0.08	94	±0.69
1.5	±0.08	96	±0.69
1.5	±0.08	100	±0.69
1.5	±0.08	102	±0.76
1.5	±0.08	110	±0.76
1.5	±0.08	112	±0.76
1.5	±0.08	114	±0.76
1.5	±0.08	115	±0.76
1.5	±0.08	118	±0.76
1.5	±0.08	120	±0.76
1.5	±0.08	125	±0.94
1.5	±0.08	130	±0.94
1.5	±0.08	135	±0.94
1.5	±0.08	140	±0.94
1.5	±0.08	150	±0.94
1.5	±0.08	155	±0.94
1.5	±0.08	160	±0.94
1.5	±0.08	163	±0.94
1.5	±0.08	165	±0.94
1.5	±0.08	180	±0.94
1.5	±0.08	188	±1.02
1.52	±0.08	1.42	±0.10
1.53	±0.08	68	±0.51
1.53	±0.08	81	±0.61
1.55	±0.08	10	±0.13
1.55	±0.08	14	±0.18
1.55	±0.08	21	±0.23
1.56	±0.08	4.27	±0.13
1.6	±0.08	1.6	±0.10
1.6	±0.08	2.2	±0.10
1.6	±0.08	2.5	±0.10
1.6	±0.08	2.75	±0.10
1.6	±0.08	3.1	±0.13
1.6	±0.08	3.55	±0.13
1.6	±0.08	4.1	±0.13
1.6	±0.08	5.5	±0.13
1.6	±0.08	6.6	±0.13
1.6	±0.08	7.1	±0.13
1.6	±0.08	7.8	±0.13
1.6	±0.08	8.1	±0.13
1.6	±0.08	9.5	±0.13
1.6	±0.08	11.1	±0.13
1.6	±0.08	11.8	±0.13
1.6	±0.08	12.1	±0.13
1.6	±0.08	13.1	±0.18
1.6	±0.08	14.5	±0.18
1.6	±0.08	15	±0.23
1.6	±0.08	15.5	±0.23
1.6	±0.08	16	±0.23

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2.4	±0.08	35	±0.30
2.4	±0.08	36.2	±0.30
2.4	±0.08	39.6	±0.38
2.4	±0.08	41.6	±0.38
2.4	±0.08	42.2	±0.38
2.4	±0.08	44.6	±0.38
2.4	±0.08	49.6	±0.43
2.4	±0.08	51.6	±0.43
2.4	±0.08	54.6	±0.43
2.4	±0.08	57.6	±0.51
2.4	±0.08	61.6	±0.51
2.4	±0.08	62.5	±0.51
2.4	±0.08	64.6	±0.51
2.4	±0.08	67.6	±0.51
2.4	±0.08	70	±0.56
2.4	±0.08	73.6	±0.56
2.4	±0.08	76.5	±0.61
2.4	±0.08	95.1	±0.61
2.4	±0.08	99.1	±0.71
2.4	±0.08	132.5	±0.89
2.4	±0.08	141	±0.89
2.5	±0.08	3.2	±0.13
2.5	±0.08	4	±0.13
2.5	±0.08	4.5	±0.13
2.5	±0.08	5	±0.13
2.5	±0.08	5.7	±0.13
2.5	±0.08	6	±0.13
2.5	±0.08	6.4	±0.13
2.5	±0.08	7	±0.13
2.5	±0.08	7.5	±0.13
2.5	±0.08	8	±0.13
2.5	±0.08	8.5	±0.13
2.5	±0.08	9	±0.13
2.5	±0.08	9.5	±0.13
2.5	±0.08	10	±0.13
2.5	±0.08	10.5	±0.13
2.5	±0.08	11	±0.13
2.5	±0.08	11.5	±0.13
2.5	±0.08	12	±0.13
2.5	±0.08	12.65	±0.13
2.5	±0.08	13.5	±0.13
2.5	±0.08	13.8	±0.18
2.5	±0.08	14	±0.23
2.5	±0.08	14.5	±0.23
2.5	±0.08	15	±0.23
2.5	±0.08	15.5	±0.23
2.5	±0.08	16	±0.23
2.5	±0.08	16.5	±0.23
2.5	±0.08	17	±0.23
2.5	±0.08	17.5	±0.23
2.5	±0.08	18	±0.23
2.5	±0.08	18.2	±0.23
2.5	±0.08	19.2	±0.25
2.5	±0.08	19.3	±0.25
2.5	±0.08	21	±0.25
2.5	±0.08	21.5	±0.25
2.5	±0.08	22	±0.25
2.5	±0.08	22.5	±0.25
2.5	±0.08	23	±0.25
2.5	±0.08	24	±0.25
2.5	±0.08	24.5	±0.25
2.5	±0.08	25	±0.25
2.5	±0.08	25.5	±0.25
2.5	±0.08	26	±0.25
2.5	±0.08	26.5	±0.25
2.5	±0.08	27.2	±0.25

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3.1	±0.10	79.4	±0.61
3.1	±0.10	84.4	±0.61
3.1	±0.10	89.4	±0.71
3.1	±0.10	94.4	±0.71
3.1	±0.10	99.4	±0.71
3.1	±0.10	104.4	±0.71
3.1	±0.10	109.4	±0.76
3.1	±0.10	114.4	±0.76
3.1	±0.10	119.4	±0.76
3.1	±0.10	124.4	±0.89
3.1	±0.10	134.4	±0.89
3.1	±0.10	149.4	±0.89
3.1	±0.10	174.4	±1.02
3.1	±0.10	178.8	±1.02
3.1	±0.10	184.4	±1.14
3.1	±0.10	194.4	±1.14
3.1	±0.10	199.4	±1.14
3.12	±0.10	15.8	±0.12
3.15	±0.10	20	±0.25
3.15	±0.10	23.6	±0.25
3.15	±0.10	25	±0.25
3.15	±0.10	28	±0.30
3.15	±0.10	30	±0.30
3.15	±0.10	31.5	±0.30
3.15	±0.10	33.5	±0.30
3.15	±0.10	35.5	±0.30
3.15	±0.10	40	±0.38
3.15	±0.10	45	±0.38
3.15	±0.10	47.5	±0.46
3.15	±0.10	50	±0.46
3.15	±0.10	51.5	±0.46
3.15	±0.10	137.94	±0.89
3.17	±0.10	41.22	±0.38
3.17	±0.10	82.55	±0.61
3.18	±0.10	6.3	±0.13
3.18	±0.10	9.25	±0.13
3.2	±0.10	7.8	±0.13
3.2	±0.10	12	±0.13
3.2	±0.10	14	±0.23
3.2	±0.10	27	±0.30
3.2	±0.10	29	±0.30
3.2	±0.10	31	±0.30
3.2	±0.10	32	±0.30
3.2	±0.10	35	±0.30
3.2	±0.10	53	±0.46
3.2	±0.10	54.75	±0.51
3.2	±0.10	55	±0.51
3.2	±0.10	61	±0.51
3.2	±0.10	63.5	±0.51
3.2	±0.10	80	±0.61
3.2	±0.10	81.36	±0.61
3.2	±0.10	117.7	±0.76
3.2	±0.10	142	±0.89
3.2	±0.10	165	±1.02
3.2	±0.10	406.4	±2.03
3.3	±0.10	13	±0.13
3.3	±0.10	45	±0.46
3.3	±0.10	55	±0.51
3.3	±0.10	73	±0.61
3.3	±0.10	144.7	±0.89
3.35	±0.10	10.7	±0.13
3.35	±0.10	55	±0.51
3.35	±0.10	125.9	±0.89
3.5	±0.10	8	±0.13
3.5	±0.10	5.94	±0.13
3.5	±0.10	10	±0.13

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1.6	±0.08	17.1	±0.23
1.6	±0.08	18.1	±0.23
1.6	±0.08	18.5	±0.23
1.6	±0.08	19.1	±0.23
1.6	±0.08	22.1	±0.23
1.6	±0.08	23.65	±0.23
1.6	±0.08	25.1	±0.25
1.6	±0.08	27.1	±0.25
1.6	±0.08	29.1	±0.28
1.6	±0.08	35.1	±0.33
1.6	±0.08	36.1	±0.33
1.6	±0.08	37.1	±0.33
1.6	±0.08	48.1	±0.38
1.6	±0.08	51.1	±0.46
1.6	±0.08	78	±0.61
1.6	±0.08	84	±0.61
1.6	±0.08	105	±0.76
1.6	±0.08	132.5	±0.94
1.6	±0.08	143.5	±0.94
1.63	±0.08	6.07	±0.13
1.63	±0.08	10	±0.13
1.64	±0.08	7.45	±0.13
1.68	±0.08	32	±0.28
1.7	±0.08	6.5	±0.13
1.7	±0.08	9	±0.13
1.7	±0.08	18	±0.23
1.7	±0.08	26	±0.25
1.78	±0.08	1.78	±0.13
1.78	±0.08	2.57	±0.13
1.78	±0.08	2.9	±0.13
1.78	±0.08	3.17	±0.13
1.78	±0.08	3.35	±0.13
1.78	±0.08	3.69	±0.13
1.78	±0.08	4.47	±0.13
1.78	±0.08	4.75	±0.13
1.78	±0.08	5.28	±0.13
1.78	±0.08	6.07	±0.13
1.78	±0.08	7.65	±0.13
1.78	±0.08	7.94	±0.13
1.78	±0.08	8.38	±0.13
1.78	±0.08	8.73	±0.13
1.78	±0.08	9.25	±0.13
1.78	±0.08	9.75	±0.13
1.78	±0.08	10.82	±0.13
1.78	±0.08	11.1	±0.13
1.78	±0.08	12.42	±0.13
1.78	±0.08	13.34	±0.18
1.78	±0.08	14	±0.18
1.78	±0.08	15.6	±0.23
1.78	±0.08	16.56	±0.23
1.78	±0.08	17.17	±0.23
1.78	±0.08	18.77	±0.23
1.78	±0.08	19.5	±0.23
1.78	±0.08	20.35	±0.23
1.78	±0.08	21.95	±0.23
1.78	±0.08	22.6	±0.23
1.78	±0.08	23.52	±0.23
1.78	±0.08	25.12	±0.25
1.78	±0.08	28.28	±0.25
1.78	±0.08	29.87	±0.28
1.78	±0.08	31.47	±0.28
1.78	±0.08	33.05	±0.28
1.78	±0.08	34.63	±0.28
1.78	±0.08	36.27	±0.33
1.78	±0.08	37.82	±0.33
1.78	±0.08	39.4	±0.33

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2.5	±0.08	28	±0.25
2.5	±0.08	28.8	±0.30
2.5	±0.08	29.5	±0.30
2.5	±0.08	30	±0.30
2.5	±0.08	31	±0.30
2.5	±0.08	32	±0.30
2.5	±0.08	33	±0.30
2.5	±0.08	33.5	±0.30
2.5	±0.08	34	±0.30
2.5	±0.08	34.8	±0.30
2.5	±0.08	35	±0.30
2.5	±0.08	36	±0.30
2.5	±0.08	37	±0.30
2.5	±0.08	38	±0.30
2.5	±0.08	38.5	±0.38
2.5	±0.08	39	±0.38
2.5	±0.08	39.5	±0.38
2.5	±0.08	40	±0.38
2.5	±0.08	42	±0.38
2.5	±0.08	43	±0.38
2.5	±0.08	44	±0.38
2.5	±0.08	45	±0.38
2.5	±0.08	46	±0.38
2.5	±0.08	47	±0.38
2.5	±0.08	48	±0.38
2.5	±0.08	49	±0.43
2.5	±0.08	50	±0.43
2.5	±0.08	51	±0.43
2.5	±0.08	52	±0.43
2.5	±0.08	53	±0.43
2.5	±0.08	54	±0.43
2.5	±0.08	55	±0.43
2.5	±0.08	56	±0.43
2.5	±0.08	57	±0.43
2.5	±0.08	58	±0.51
2.5	±0.08	59.2	±0.51
2.5	±0.08	60	±0.51
2.5	±0.08	61	±0.51
2.5	±0.08	62	±0.51
2.5	±0.08	63	±0.51
2.5	±0.08	64	±0.51
2.5	±0.08	65	±0.51
2.5	±0.08	65.8	±0.51
2.5	±0.08	66	±0.51
2.5	±0.08	67	±0.51
2.5	±0.08	68	±0.56
2.5	±0.08	70	±0.56
2.5	±0.08	72	±0.56
2.5	±0.08	74	±0.61
2.5	±0.08	75	±0.61
2.5	±0.08	76	±0.61
2.5	±0.08	77	±0.61
2.5	±0.08	78	±0.61
2.5	±0.08	79	±0.61
2.5	±0.08	80	±0.61
2.5	±0.08	82	±0.61
2.5	±0.08	84	±0.61
2.5	±0.08	85	±0.61
2.5	±0.08	86	±0.61
2.5	±0.08	87.2	±0.61
2.5	±0.08	88	±0.61
2.5	±0.08	89.5	±0.71
2.5	±0.08	90	±0.71
2.5	±0.08	92	±0.71
2.5	±0.08	94	±0.71
2.5	±0.08	96	±0.71

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3.5	±0.10	12	±0.13
3.5	±0.10	13	±0.13
3.5	±0.10	14.7	±0.13
3.5	±0.10	16	±0.23
3.5	±0.10	18	±0.25
3.5	±0.10	19	±0.25
3.5	±0.10	19.5	±0.25
3.5	±0.10	20	±0.25
3.5	±0.10	20.5	±0.25
3.5	±0.10	21.4	±0.25
3.5	±0.10	22	±0.25
3.5	±0.10	22.1	±0.25
3.5	±0.10	24	±0.25
3.5	±0.10	24.7	±0.25
3.5	±0.10	25	±0.25
3.5	±0.10	25.2	±0.25
3.5	±0.10	25.7	±0.25
3.5	±0.10	26	±0.25
3.5	±0.10	27	±0.30
3.5	±0.10	28	±0.30
3.5	±0.10	29	±0.30
3.5	±0.10	30	±0.30
3.5	±0.10	30.7	±0.30
3.5	±0.10	32	±0.30
3.5	±0.10	33.7	±0.30
3.5	±0.10	34	±0.30
3.5	±0.10	35	±0.30
3.5	±0.10	38.7	±0.38
3.5	±0.10	39	±0.38
3.5	±0.10	39.7	±0.38
3.5	±0.10	41.7	±0.38
3.5	±0.10	42	±0.38
3.5	±0.10	42.7	±0.38
3.5	±0.10	43.7	±0.38
3.5	±0.10	45.7	±0.46
3.5	±0.10	47	±0.46
3.5	±0.10	47.7	±0.46
3.5	±0.10	48	±0.46
3.5	±0.10	51	±0.46
3.5	±0.10	54	±0.46
3.5	±0.10	55	±0.51
3.5	±0.10	56	±0.51
3.5	±0.10	58	±0.51
3.5	±0.10	64	±0.51
3.5	±0.10	74	±0.61
3.5	±0.10	77.6	±0.61
3.5	±0.10	80	±0.61
3.5	±0.10	84	±0.61
3.5	±0.10	85	±0.61
3.5	±0.10	87	±0.61
3.5	±0.10	88	±0.61
3.5	±0.10	90	±0.71
3.5	±0.10	93	±0.71
3.5	±0.10	100	±0.71
3.5	±0.10	103	±0.71
3.5	±0.10	109	±0.76
3.5	±0.10	113.89	±0.76
3.5	±0.10	115	±0.76
3.5	±0.10	128	±0.89
3.5	±0.10	144	±0.89
3.5	±0.10	155	±1.02
3.5	±0.10	161	±1.02
3.5	±0.10	170	±1.02
3.5	±0.10	174	±1.02
3.5	±0.10	180	±1.14
3.5	±0.10	185	±1.14

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1.78	±0.08	41	±0.33
1.78	±0.08	44.17	±0.38
1.78	±0.08	47.34	±0.38
1.78	±0.08	48.2	±0.46
1.78	±0.08	50.5	±0.46
1.78	±0.08	52	±0.46
1.78	±0.08	53.7	±0.46
1.78	±0.08	55.5	±0.46
1.78	±0.08	56.87	±0.46
1.78	±0.08	60.05	±0.46
1.78	±0.08	62.1	±0.46
1.78	±0.08	63.32	±0.46
1.78	±0.08	65	±0.51
1.78	±0.08	66.4	±0.51
1.78	±0.08	68	±0.51
1.78	±0.08	69.57	±0.51
1.78	±0.08	71	±0.51
1.78	±0.08	72.76	±0.51
1.78	±0.08	75	±0.61
1.78	±0.08	75.92	±0.61
1.78	±0.08	78	±0.61
1.78	±0.08	82.28	±0.61
1.78	±0.08	85.34	±0.61
1.78	±0.08	88.62	±0.61
1.78	±0.08	91.7	±0.69
1.78	±0.08	94.97	±0.69
1.78	±0.08	98.04	±0.69
1.78	±0.08	99.6	±0.69
1.78	±0.08	101.34	±0.69
1.78	±0.08	107.7	±0.76
1.78	±0.08	114.02	±0.76
1.78	±0.08	120.4	±0.76
1.78	±0.08	129.4	±0.89
1.78	±0.08	133.07	±0.89
1.78	±0.08	147	±0.89
1.78	±0.08	151.64	±0.89
1.78	±0.08	156	±1.02
1.78	±0.08	235.16	±0.46
1.8	±0.08	1.5	±0.10
1.8	±0.08	2	±0.13
1.8	±0.08	3.1	±0.13
1.8	±0.08	4	±0.13
1.8	±0.08	6.3	±0.13
1.8	±0.08	6.7	±0.13
1.8	±0.08	6.8	±0.13
1.8	±0.08	7.1	±0.13
1.8	±0.08	9	±0.13
1.8	±0.08	11.5	±0.13
1.8	±0.08	12	±0.13
1.8	±0.08	15	±0.23
1.8	±0.08	18	±0.23
1.8	±0.08	21	±0.23
1.8	±0.08	23.4	±0.23
1.8	±0.08	42.5	±0.38
1.8	±0.08	104.5	±0.69
1.8	±0.08	127.4	±0.94
1.8	±0.08	228	±1.27
1.83	±0.08	49.2	±0.46
1.85	±0.08	25.5	±0.25
1.85	±0.08	26.5	±0.25
1.88	±0.08	10.19	±0.13
1.9	±0.08	1.9	±0.13
1.9	±0.08	2.4	±0.13
1.9	±0.08	2.8	±0.13
1.9	±0.08	3.4	±0.13
1.9	±0.08	3.8	±0.13

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2.5	±0.08	97	±0.71
2.5	±0.08	98	±0.71
2.5	±0.08	100	±0.71
2.5	±0.08	102	±0.71
2.5	±0.08	103	±0.71
2.5	±0.08	104	±0.76
2.5	±0.08	106	±0.76
2.5	±0.08	107	±0.76
2.5	±0.08	110	±0.76
2.5	±0.08	112	±0.76
2.5	±0.08	115	±0.76
2.5	±0.08	116	±0.76
2.5	±0.08	119	±0.76
2.5	±0.08	123	±0.89
2.5	±0.08	124	±0.89
2.5	±0.08	125	±0.89
2.5	±0.08	127	±0.89
2.5	±0.08	128	±0.89
2.5	±0.08	130	±0.89
2.5	±0.08	135	±0.89
2.5	±0.08	139	±0.89
2.5	±0.08	140	±0.89
2.5	±0.08	143	±0.89
2.5	±0.08	145	±0.89
2.5	±0.08	147.5	±0.89
2.5	±0.08	156	±1.02
2.5	±0.08	160	±1.02
2.5	±0.08	167	±1.02
2.5	±0.08	170	±1.02
2.5	±0.08	175	±1.02
2.5	±0.08	174	±1.02
2.5	±0.08	180	±1.02
2.5	±0.08	188	±1.02
2.5	±0.08	192	±1.14
2.5	±0.08	195	±1.14
2.5	±0.08	200	±1.14
2.5	±0.08	204	±1.14
2.5	±0.08	218	±1.27
2.5	±0.08	220	±1.27
2.5	±0.08	225	±1.27
2.5	±0.08	230	±1.40
2.5	±0.08	235	±1.40
2.5	±0.08	240	±1.40
2.5	±0.08	250	±1.40
2.5	±0.08	255	±1.40
2.5	±0.08	260	±1.40
2.5	±0.08	261	±1.40
2.5	±0.08	270	±1.65
2.5	±0.08	275	±1.65
2.5	±0.08	280	±1.65
2.5	±0.08	296	±1.65
2.5	±0.08	298	±1.65
2.5	±0.08	305	±1.65
2.5	±0.08	310	±1.65
2.5	±0.08	315	±1.65
2.5	±0.08	320	±1.65
2.5	±0.08	345	±1.65
2.5	±0.08	350	±1.65
2.5	±0.08	375	±1.65
2.5	±0.08	395	±1.91
2.5	±0.08	446	±2.16
2.53	±0.08	122	±0.76
2.53	±0.08	210	±1.27
2.56	±0.08	20	±0.23
2.6	±0.08	9.92	±0.13
2.6	±0.08	14.4	±0.18

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3.5	±0.10	186	±1.14
3.5	±0.10	195	±1.14
3.5	±0.10	200	±1.14
3.5	±0.10	225	±1.27
3.5	±0.10	257	±1.40
3.5	±0.10	270	±1.65
3.5	±0.10	273	±1.65
3.5	±0.10	320	±1.65
3.5	±0.10	325	±1.65
3.5	±0.10	340	±1.65
3.5	±0.10	367	±1.65
3.5	±0.10	475	±2.29
3.53	±0.10	4.34	±0.13
3.53	±0.10	7.52	±0.13
3.53	±0.10	9.12	±0.13
3.53	±0.10	10.95	±0.13
3.53	±0.10	13.87	±0.18
3.53	±0.10	15.47	±0.23
3.53	±0.10	17.04	±0.23
3.53	±0.10	18.64	±0.25
3.53	±0.10	20.22	±0.25
3.53	±0.10	21.82	±0.25
3.53	±0.10	23.39	±0.25
3.53	±0.10	26.57	±0.25
3.53	±0.10	28.17	±0.30
3.53	±0.10	31.34	±0.30
3.53	±0.10	32.92	±0.30
3.53	±0.10	34.52	±0.30
3.53	±0.10	36.09	±0.30
3.53	±0.10	37.69	±0.38
3.53	±0.10	40.87	±0.38
3.53	±0.10	41.28	±0.38
3.53	±0.10	44.04	±0.38
3.53	±0.10	45.36	±0.46
3.53	±0.10	46.04	±0.46
3.53	±0.10	49.21	±0.46
3.53	±0.10	50.39	±0.46
3.53	±0.10	51.5	±0.46
3.53	±0.10	52.32	±0.46
3.53	±0.10	53.57	±0.46
3.53	±0.10	55.56	±0.51
3.53	±0.10	56.74	±0.51
3.53	±0.10	57.15	±0.51
3.53	±0.10	58.74	±0.51
3.53	±0.10	59.92	±0.51
3.53	±0.10	60.35	±0.51
3.53	±0.10	61.9	±0.51
3.53	±0.10	63.09	±0.51
3.53	±0.10	65.1	±0.51
3.53	±0.10	66.27	±0.51
3.53	±0.10	68.26	±0.61
3.53	±0.10	69.44	±0.61
3.53	±0.10	71.44	±0.61
3.53	±0.10	72.62	±0.61
3.53	±0.10	74.6	±0.61
3.53	±0.10	75.8	±0.61
3.53	±0.10	82.14	±0.61
3.53	±0.10	85.32	±0.61
3.53	±0.10	88.49	±0.61
3.53	±0.10	91.67	±0.71
3.53	±0.10	94.84	±0.71
3.53	±0.10	98.02	±0.71
3.53	±0.10	101.2	±0.71
3.53	±0.10	104.37	±0.71
3.53	±0.10	107.54	±0.76
3.53	±0.10	110.72	±0.76

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance
1.9	±0.08	4.3	±0.13
1.9	±0.08	4.8	±0.13
1.9	±0.08	5.8	±0.13
1.9	±0.08	6.4	±0.13
1.9	±0.08	6.8	±0.13
1.9	±0.08	7.2	±0.13
1.9	±0.08	7.8	±0.13
1.9	±0.08	8.8	±0.13
1.9	±0.08	9.2	±0.13
1.9	±0.08	9.8	±0.13
1.9	±0.08	10.8	±0.13
1.9	±0.08	11.8	±0.13
1.9	±0.08	13	±0.18
1.9	±0.08	13.8	±0.18
1.9	±0.08	14.8	±0.23
1.9	±0.08	15.7	±0.23
1.9	±0.08	16.8	±0.23
1.9	±0.08	19.8	±0.23
1.9	±0.08	21.2	±0.23
1.9	±0.08	32.5	±0.28
1.9	±0.08	33.2	±0.28
1.9	±0.08	138	±0.94
1.9	±0.08	139.5	±0.94
1.9	±0.08	141	±0.94
1.98	±0.08	47.35	±0.38

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2.6	±0.08	16	±0.23
2.6	±0.08	36.5	±0.30
2.6	±0.08	97.65	±0.71
2.6	±0.08	110.8	±0.76
2.6	±0.08	152.07	±0.89
2.6	±0.08	158.42	±1.02
2.62	±0.08	1.59	±0.10
2.62	±0.08	2.85	±0.13
2.62	±0.08	3.63	±0.13
2.62	±0.08	4.42	±0.13
2.62	±0.08	5.27	±0.13
2.62	±0.08	6.02	±0.13
2.62	±0.08	6.85	±0.13
2.62	±0.08	7.59	±0.13
2.62	±0.08	9.19	±0.13
2.62	±0.08	10.77	±0.13
2.62	±0.08	11.91	±0.13
2.62	±0.08	12.37	±0.13
2.62	±0.08	13.1	±0.13
2.62	±0.08	13.37	±0.13
2.62	±0.08	13.95	±0.18
2.62	±0.08	15.08	±0.23
2.62	±0.08	15.54	±0.23
2.62	±0.08	17.12	±0.23
2.62	±0.08	17.86	±0.23
2.62	±0.08	18.72	±0.23
2.62	±0.08	20.3	±0.25
2.62	±0.08	21	±0.25
2.62	±0.08	21.89	±0.25
2.62	±0.08	22.22	±0.25
2.62	±0.08	23.47	±0.25
2.62	±0.08	25.07	±0.25
2.62	±0.08	25.8	±0.25
2.62	±0.08	26.65	±0.25
2.62	±0.08	27.78	±0.25
2.62	±0.08	28.24	±0.25
2.62	±0.08	29	±0.30
2.62	±0.08	29.82	±0.30
2.62	±0.08	29.87	±0.30
2.62	±0.08	30.6	±0.30
2.62	±0.08	31.42	±0.30
2.62	±0.08	33	±0.30
2.62	±0.08	34.59	±0.30
2.62	±0.08	36.17	±0.30
2.62	±0.08	37.77	±0.30
2.62	±0.08	39.35	±0.38
2.62	±0.08	40.95	±0.38
2.62	±0.08	42.54	±0.38
2.62	±0.08	44.12	±0.38
2.62	±0.08	45.69	±0.38
2.62	±0.08	47.29	±0.38
2.62	±0.08	48.9	±0.43
2.62	±0.08	50.47	±0.43
2.62	±0.08	52.07	±0.43
2.62	±0.08	53.64	±0.43
2.62	±0.08	55.25	±0.43
2.62	±0.08	56.82	±0.43
2.62	±0.08	58.42	±0.51
2.62	±0.08	59.99	±0.51
2.62	±0.08	61.6	±0.51
2.62	±0.08	63.17	±0.51
2.62	±0.08	64.77	±0.51
2.62	±0.08	66.35	±0.51
2.62	±0.08	67.95	±0.56
2.62	±0.08	69.52	±0.56
2.62	±0.08	71.12	±0.56

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3.53	±0.10	117.07	±0.76
3.53	±0.10	120.2	±0.76
3.53	±0.10	121.5	±0.89
3.53	±0.10	123.42	±0.89
3.53	±0.10	126.6	±0.89
3.53	±0.10	129.79	±0.89
3.53	±0.10	132.94	±0.89
3.53	±0.10	136.12	±0.89
3.53	±0.10	139.3	±0.89
3.53	±0.10	139.5	±0.89
3.5	±0.10	140	±0.89
3.53	±0.10	142.47	±0.89
3.53	±0.10	145.65	±0.89
3.53	±0.10	148.82	±0.89
3.53	±0.10	152	±0.89
3.53	±0.10	158.34	±1.02
3.53	±0.10	161	±1.02
3.53	±0.10	164.7	±1.02
3.53	±0.10	171.05	±1.02
3.53	±0.10	177.4	±1.02
3.53	±0.10	190.1	±1.14
3.53	±0.10	196.44	±1.14
3.53	±0.10	202.8	±1.14
3.53	±0.10	209.14	±1.27
3.53	±0.10	216.15	±1.27
3.53	±0.10	221.84	±1.27
3.53	±0.10	228.2	±1.27
3.53	±0.10	234.55	±1.40
3.53	±0.10	240.9	±1.40
3.53	±0.10	247.24	±1.40
3.53	±0.10	253.59	±1.40
3.53	±0.10	266.29	±1.40
3.53	±0.10	279	±1.65
3.53	±0.10	291.69	±1.65
3.53	±0.10	304.9	±1.65
3.53	±0.10	314	±1.65
3.53	±0.10	329.79	±1.65
3.53	±0.10	344.47	±1.65
3.53	±0.10	351.03	±1.65
3.53	±0.10	355.19	±1.65
3.53	±0.10	380.59	±1.65
3.53	±0.10	380.6	±1.65
3.53	±0.10	430.66	±2.03
3.53	±0.10	445	±2.16
3.53	±0.10	553.2	±2.54
3.55	±0.10	24.3	±0.25
3.55	±0.10	78.79	±0.61
3.55	±0.10	87.5	±0.61
3.55	±0.10	125	±0.89
3.58	±0.10	24.3	±0.25
3.6	±0.10	17	±0.23
3.6	±0.10	18.3	±0.25
3.6	±0.10	19.8	±0.25
3.6	±0.10	21.3	±0.25
3.6	±0.10	23	±0.25
3.6	±0.10	24.6	±0.25
3.6	±0.10	26.2	±0.25
3.6	±0.10	27.8	±0.30
3.6	±0.10	29.3	±0.30
3.6	±0.10	30.8	±0.30
3.6	±0.10	32.5	±0.30
3.6	±0.10	34.1	±0.30
3.6	±0.10	35.6	±0.30
3.6	±0.10	37.3	±0.38
3.6	±0.10	38.3	±0.38
3.6	±0.10	38.6	±0.38

C/S= 0 ~ 1.99			
C/S	Tolerance	ID	Tolerance

C/S= 2 ~ 2.99			
C/S	Tolerance	ID	Tolerance
2.62	±0.08	72.7	±0.56
2.62	±0.08	74.3	±0.61
2.62	±0.08	75.87	±0.61
2.62	±0.08	77.5	±0.61
2.62	±0.08	78.74	±0.61
2.62	±0.08	80.6	±0.61
2.62	±0.08	82.22	±0.61
2.62	±0.08	86.32	±0.61
2.62	±0.08	88.57	±0.61
2.62	±0.08	92.75	±0.71
2.62	±0.08	94.92	±0.71
2.62	±0.08	101.27	±0.71
2.62	±0.08	104.84	±0.76
2.62	±0.08	107.62	±0.76
2.62	±0.08	113.97	±0.76
2.62	±0.08	120.32	±0.76
2.62	±0.08	120.6	±0.76
2.62	±0.08	126.67	±0.89
2.62	±0.08	133.02	±0.89
2.62	±0.08	139.37	±0.89
2.62	±0.08	145.72	±0.89
2.62	±0.08	164.77	±1.02
2.62	±0.08	171.12	±1.02
2.62	±0.08	177.47	±1.02
2.62	±0.08	183.82	±1.14
2.62	±0.08	187.62	±1.14
2.62	±0.08	190.18	±1.14
2.62	±0.08	196.52	±1.14
2.62	±0.08	202.87	±1.14
2.62	±0.08	209.22	±1.27
2.62	±0.08	212	±1.27
2.62	±0.08	215.58	±1.40
2.62	±0.08	221.92	±1.27
2.62	±0.08	234.63	±1.40
2.62	±0.08	240.97	±1.40
2.62	±0.08	247.33	±1.40
2.62	±0.08	276.43	±1.40
2.62	±0.08	284.5	±1.65
2.62	±0.08	453.79	±1.91
2.65	±0.08	5.85	±0.13
2.65	±0.08	8	±0.13
2.65	±0.08	11.7	±0.13
2.65	±0.08	19.3	±0.23
2.65	±0.08	35.5	±0.30
2.65	±0.08	36.5	±0.30
2.65	±0.08	38.7	±0.33
2.7	±0.08	5.6	±0.13
2.7	±0.08	8.9	±0.13
2.7	±0.08	10.5	±0.13
2.7	±0.08	12.1	±0.13
2.7	±0.08	13.6	±0.18
2.7	±0.08	16.9	±0.23
2.7	±0.08	18.4	±0.23
2.7	±0.08	27.3	±0.25
2.75	±0.08	9.5	±0.13
2.8	±0.08	10	±0.13
2.8	±0.08	13.4	±0.18
2.8	±0.08	14.8	±0.23
2.8	±0.08	18.9	±0.25
2.8	±0.08	32	±0.30
2.8	±0.08	35	±0.30
2.8	±0.08	43.4	±0.38
2.8	±0.08	67	±0.51
2.8	±0.08	167	±1.02

C/S= 3 ~ 3.99			
C/S	Tolerance	ID	Tolerance
3.6	±0.10	86	±0.61
3.6	±0.10	96.3	±0.71
3.6	±0.10	335	±1.65
3.65	±0.10	12.2	±0.13
3.7	±0.10	13	±0.13
3.7	±0.10	32	±0.30
3.7	±0.10	143.5	±0.89
3.8	±0.10	140	±0.89
3.8	±0.10	144	±0.89
3.85	±0.10	101	±0.71

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance
4	±0.10	5	±0.13
4	±0.10	6	±0.13
4	±0.10	7	±0.13
4	±0.10	7.5	±0.13
4	±0.10	8	±0.13
4	±0.10	9	±0.13
4	±0.10	9.5	±0.13
4	±0.10	10	±0.13
4	±0.10	11	±0.13
4	±0.10	12	±0.13
4	±0.10	12.5	±0.13
4	±0.10	13	±0.13
4	±0.10	14	±0.23
4	±0.10	15	±0.23
4	±0.10	16	±0.23
4	±0.10	17	±0.25
4	±0.10	17.5	±0.25
4	±0.10	18	±0.25
4	±0.10	19	±0.25
4	±0.10	20	±0.25
4	±0.10	21	±0.25
4	±0.10	22	±0.25
4	±0.10	23	±0.25
4	±0.10	23.5	±0.25
4	±0.10	24	±0.25
4	±0.10	25	±0.25
4	±0.10	26	±0.25
4	±0.10	27	±0.25
4	±0.10	28	±0.30
4	±0.10	29	±0.30
4	±0.10	30	±0.30
4	±0.10	31	±0.30
4	±0.10	32	±0.30
4	±0.10	33	±0.30
4	±0.10	33.5	±0.30
4	±0.10	34	±0.30
4	±0.10	35	±0.30
4	±0.10	35.5	±0.30
4	±0.10	36	±0.30
4	±0.10	37	±0.38
4	±0.10	37.5	±0.38
4	±0.10	38	±0.38
4	±0.10	39	±0.38
4	±0.10	40	±0.38
4	±0.10	41	±0.38
4	±0.10	42	±0.38
4	±0.10	43	±0.38
4	±0.10	44	±0.38
4	±0.10	45	±0.38
4	±0.10	46	±0.38
4	±0.10	46.5	±0.38
4	±0.10	47	±0.46
4	±0.10	47.5	±0.46
4	±0.10	48	±0.46
4	±0.10	49	±0.46
4	±0.10	50	±0.46
4	±0.10	51	±0.46
4	±0.10	52	±0.46
4	±0.10	53	±0.46
4	±0.10	54	±0.46
4	±0.10	55	±0.46
4	±0.10	56	±0.46

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5	±0.13	6	±0.13
5	±0.13	8	±0.13
5	±0.13	10	±0.13
5	±0.13	11	±0.13
5	±0.13	12	±0.13
5	±0.13	14	±0.18
5	±0.13	14.5	±0.23
5	±0.13	15	±0.23
5	±0.13	16	±0.23
5	±0.13	17	±0.23
5	±0.13	18	±0.23
5	±0.13	18.5	±0.23
5	±0.13	19	±0.25
5	±0.13	20	±0.25
5	±0.13	21	±0.25
5	±0.13	22	±0.25
5	±0.13	23	±0.25
5	±0.13	24	±0.25
5	±0.13	25	±0.25
5	±0.13	26	±0.25
5	±0.13	27	±0.25
5	±0.13	28	±0.30
5	±0.13	29	±0.30
5	±0.13	30	±0.30
5	±0.13	30	±0.30
5	±0.13	31	±0.30
5	±0.13	32	±0.30
5	±0.13	33	±0.30
5	±0.13	34	±0.30
5	±0.13	35	±0.30
5	±0.13	36	±0.30
5	±0.13	38	±0.38
5	±0.13	39	±0.38
5	±0.13	40	±0.38
5	±0.13	41	±0.38
5	±0.13	42	±0.38
5	±0.13	43	±0.38
5	±0.13	45	±0.38
5	±0.13	46	±0.46
5	±0.13	47	±0.46
5	±0.13	48	±0.46
5	±0.13	50	±0.46
5	±0.13	51	±0.46
5	±0.13	52	±0.46
5	±0.13	53	±0.46
5	±0.13	54	±0.46
5	±0.13	55	±0.46
5	±0.13	56	±0.46
5	±0.13	57	±0.46
5	±0.13	58	±0.46
5	±0.13	59	±0.46
5	±0.13	59.5	±0.46
5	±0.13	60	±0.46
5	±0.13	61	±0.51
5	±0.13	62	±0.51
5	±0.13	63	±0.51
5	±0.13	64	±0.51
5	±0.13	65	±0.51
5	±0.13	67	±0.51
5	±0.13	68	±0.51
5	±0.13	68.5	±0.51
5	±0.13	69	±0.51

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance
6	±0.13	14	±0.13
6	±0.13	17	±0.25
6	±0.13	18	±0.25
6	±0.13	20	±0.25
6	±0.13	21	±0.25
6	±0.13	22	±0.25
6	±0.13	23	±0.25
6	±0.13	24	±0.25
6	±0.13	26	±0.25
6	±0.13	27	±0.30
6	±0.13	28	±0.30
6	±0.13	30	±0.30
6	±0.13	31	±0.30
6	±0.13	32	±0.30
6	±0.13	33	±0.30
6	±0.13	34	±0.30
6	±0.13	35	±0.30
6	±0.13	36	±0.38
6	±0.13	38	±0.38
6	±0.13	39	±0.38
6	±0.13	40	±0.38
6	±0.13	42	±0.38
6	±0.13	43	±0.38
6	±0.13	44	±0.38
6	±0.13	45	±0.38
6	±0.13	47	±0.38
6	±0.13	48	±0.46
6	±0.13	50	±0.46
6	±0.13	52	±0.46
6	±0.13	53	±0.46
6	±0.13	55	±0.46
6	±0.13	56	±0.46
6	±0.13	57	±0.46
6	±0.13	59	±0.46
6	±0.13	60	±0.46
6	±0.13	61	±0.51
6	±0.13	63	±0.51
6	±0.13	64	±0.51
6	±0.13	65	±0.51
6	±0.13	66	±0.51
6	±0.13	68	±0.51
6	±0.13	70	±0.51
6	±0.13	75	±0.61
6	±0.13	76	±0.61
6	±0.13	78	±0.61
6	±0.13	80	±0.61
6	±0.13	83	±0.61
6	±0.13	85	±0.61
6	±0.13	87	±0.61
6	±0.13	88	±0.61
6	±0.13	90	±0.71
6	±0.13	92	±0.71
6	±0.13	95	±0.71
6	±0.13	96	±0.71
6	±0.13	98	±0.71
6	±0.13	100	±0.71
6	±0.13	103	±0.71
6	±0.13	106	±0.76
6	±0.13	110	±0.76
6	±0.13	114	±0.76
6	±0.13	115	±0.76
6	±0.13	118	±0.76

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance
4	±0.10	57	±0.46
4	±0.10	58	±0.46
4	±0.10	59	±0.46
4	±0.10	60	±0.46
4	±0.10	61	±0.51
4	±0.10	62	±0.51
4	±0.10	63	±0.51
4	±0.10	64	±0.51
4	±0.10	65	±0.51
4	±0.10	66	±0.51
4	±0.10	67	±0.51
4	±0.10	68	±0.51
4	±0.10	69	±0.51
4	±0.10	70	±0.51
4	±0.10	71	±0.51
4	±0.10	72	±0.51
4	±0.10	74	±0.61
4	±0.10	75	±0.61
4	±0.10	76	±0.61
4	±0.10	77	±0.61
4	±0.10	78	±0.61
4	±0.10	79	±0.61
4	±0.10	80	±0.61
4	±0.10	81	±0.61
4	±0.10	82	±0.61
4	±0.10	83	±0.61
4	±0.10	84	±0.61
4	±0.10	85	±0.61
4	±0.10	86	±0.61
4	±0.10	87	±0.61
4	±0.10	88	±0.61
4	±0.10	89	±0.71
4	±0.10	90	±0.71
4	±0.10	90.5	±0.71
4	±0.10	92	±0.71
4	±0.10	93	±0.71
4	±0.10	95	±0.71
4	±0.10	95.4	±0.71
4	±0.10	96	±0.71
4	±0.10	97	±0.71
4	±0.10	98	±0.71
4	±0.10	100	±0.71
4	±0.10	102	±0.71
4	±0.10	103	±0.71
4	±0.10	104	±0.71
4	±0.10	105	±0.76
4	±0.10	106	±0.76
4	±0.10	108	±0.76
4	±0.10	109	±0.76
4	±0.10	110	±0.76
4	±0.10	112	±0.76
4	±0.10	113	±0.76
4	±0.10	114	±0.76
4	±0.10	115	±0.76
4	±0.10	117	±0.76
4	±0.10	118	±0.76
4	±0.10	120	±0.76
4	±0.10	121	±0.76
4	±0.10	122	±0.76
4	±0.10	125	±0.94
4	±0.10	126	±0.94
4	±0.10	128	±0.94
4	±0.10	130	±0.94
4	±0.10	132	±0.94
4	±0.10	134	±0.94
4	±0.10	135	±0.94

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5	±0.13	70	±0.51
5	±0.13	71	±0.51
5	±0.13	72	±0.51
5	±0.13	73	±0.61
5	±0.13	75	±0.61
5	±0.13	77	±0.61
5	±0.13	78	±0.61
5	±0.13	80	±0.61
5	±0.13	82	±0.61
5	±0.13	83	±0.61
5	±0.13	84	±0.61
5	±0.13	85	±0.61
5	±0.13	86	±0.61
5	±0.13	87	±0.61
5	±0.13	88	±0.61
5	±0.13	90	±0.71
5	±0.13	91	±0.71
5	±0.13	92	±0.71
5	±0.13	93	±0.71
5	±0.13	94	±0.71
5	±0.13	95	±0.71
5	±0.13	97	±0.71
5	±0.13	100	±0.71
5	±0.13	102	±0.71
5	±0.13	105	±0.71
5	±0.13	108	±0.76
5	±0.13	110	±0.76
5	±0.13	112	±0.76
5	±0.13	115	±0.76
5	±0.13	118	±0.76
5	±0.13	120	±0.76
5	±0.13	122	±0.76
5	±0.13	125	±0.94
5	±0.13	130	±0.94
5	±0.13	132	±0.94
5	±0.13	135	±0.94
5	±0.13	140	±0.94
5	±0.13	142	±0.94
5	±0.13	145	±0.94
5	±0.13	150	±0.94
5	±0.13	155	±1.02
5	±0.13	160	±1.02
5	±0.13	165	±1.02
5	±0.13	168	±1.02
5	±0.13	170	±1.02
5	±0.13	175	±1.02
5	±0.13	180	±1.14
5	±0.13	185	±1.14
5	±0.13	190	±1.14
5	±0.13	200	±1.14
5	±0.13	204	±1.14
5	±0.13	210	±1.27
5	±0.13	215	±1.27
5	±0.13	220	±1.27
5	±0.13	225	±1.27
5	±0.13	230	±1.40
5	±0.13	235	±1.40
5	±0.13	238	±1.40
5	±0.13	240	±1.40
5	±0.13	245	±1.40
5	±0.13	250	±1.40
5	±0.13	255	±1.40
5	±0.13	256	±1.40
5	±0.13	260	±1.40
5	±0.13	270	±1.65
5	±0.13	280	±1.65

C/S= 6 ~ 19			
C/S	Tolerance	ID	Tolerance
6	±0.13	120	±0.76
6	±0.13	125	±0.94
6	±0.13	128	±0.94
6	±0.13	130	±0.94
6	±0.13	135	±0.94
6	±0.13	140	±0.94
6	±0.13	142	±0.94
6	±0.13	145	±0.94
6	±0.13	148	±0.94
6	±0.13	150	±0.94
6	±0.13	152	±0.94
6	±0.13	158	±1.02
6	±0.13	160	±1.02
6	±0.13	165	±1.02
6	±0.13	170	±1.02
6	±0.13	175	±1.02
6	±0.13	178	±1.02
6	±0.13	180	±1.14
6	±0.13	190	±1.14
6	±0.13	193	±1.14
6	±0.13	196	±1.14
6	±0.13	205	±1.27
6	±0.13	212	±1.27
6	±0.13	215	±1.27
6	±0.13	220	±1.27
6	±0.13	235	±1.40
6	±0.13	240	±1.40
6	±0.13	245	±1.40
6	±0.13	250	±1.40
6	±0.13	260	±1.52
6	±0.13	265	±1.52
6	±0.13	270	±1.52
6	±0.13	276	±1.52
6	±0.13	280	±1.52
6	±0.13	285	±1.52
6	±0.13	290	±1.52
6	±0.13	300	±1.52
6	±0.13	305	±1.52
6	±0.13	315	±1.52
6	±0.13	320	±1.52
6	±0.13	232	±1.52
6	±0.13	330	±1.52
6	±0.13	340	±1.78
6	±0.13	345	±1.78
6	±0.13	350	±1.78
6	±0.13	351	±1.78
6	±0.13	355	±1.78
6	±0.13	360	±1.78
6	±0.13	375	±1.78
6	±0.13	380	±1.78
6	±0.13	410	±1.91
6	±0.13	420	±2.03
6	±0.13	431.5	±2.03
6	±0.13	439	±2.16
6	±0.13	448	±2.16
6	±0.13	460	±2.16
6	±0.13	468	±2.16
6	±0.13	480	±2.29
6	±0.13	486	±2.29
6	±0.13	510	±2.41
6	±0.13	520	±2.41
6	±0.13	540	±2.41
6	±0.13	615	±2.92
6.15	±0.13	58.5	±0.46
6.2	±0.13	68.5	±0.51
6.2	±0.13	142	±0.94

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance
4	±0.10	138	±0.94
4	±0.10	140.5	±0.94
4	±0.10	144	±0.94
4	±0.10	145	±0.94
4	±0.10	148	±0.94
4	±0.10	150	±0.94
4	±0.10	152	±0.94
4	±0.10	155	±1.02
4	±0.10	159	±1.02
4	±0.10	160	±1.02
4	±0.10	165	±1.02
4	±0.10	168	±1.02
4	±0.10	170	±1.02
4	±0.10	175	±1.02
4	±0.10	180	±1.14
4	±0.10	184	±1.14
4	±0.10	185	±1.14
4	±0.10	188	±1.14
4	±0.10	190	±1.14
4	±0.10	192	±1.14
4	±0.10	195	±1.14
4	±0.10	200	±1.14
4	±0.10	205	±1.27
4	±0.10	208	±1.27
4	±0.10	210	±1.27
4	±0.10	215	±1.27
4	±0.10	220	±1.27
4	±0.10	225	±1.27
4	±0.10	230	±1.27
4	±0.10	235	±1.40
4	±0.10	240	±1.40
4	±0.10	245	±1.40
4	±0.10	250	±1.40
4	±0.10	255	±1.40
4	±0.10	260	±1.52
4	±0.10	265	±1.52
4	±0.10	270	±1.52
4	±0.10	275	±1.52
4	±0.10	280	±1.52
4	±0.10	285	±1.52
4	±0.10	290	±1.65
4	±0.10	297	±1.65
4	±0.10	300	±1.65
4	±0.10	305	±1.65
4	±0.10	310	±1.65
4	±0.10	315	±1.65
4	±0.10	320	±1.65
4	±0.10	326	±1.65
4	±0.10	330	±1.78
4	±0.10	340	±1.78
4	±0.10	345	±1.78
4	±0.10	350	±1.78
4	±0.10	355	±1.78
4	±0.10	360	±1.78
4	±0.10	365	±1.78
4	±0.10	370	±1.78
4	±0.10	375	±1.78
4	±0.10	380	±1.78
4	±0.10	385	±1.78
4	±0.10	390	±1.78
4	±0.10	395	±1.78
4	±0.10	400	±1.91
4	±0.10	405	±1.91
4	±0.10	406	±2.03
4	±0.10	410	±2.03
4	±0.10	422	±2.03

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5	±0.13	285	±1.65
5	±0.13	290	±1.65
5	±0.13	295	±1.65
5	±0.13	300	±1.65
5	±0.13	305	±1.65
5	±0.13	310	±1.65
5	±0.13	315	±1.65
5	±0.13	320	±1.65
5	±0.13	325	±1.65
5.33	±0.13	325	±1.65
5	±0.13	330	±1.65
5	±0.13	335	±1.65
5	±0.13	340	±1.65
5	±0.13	345	±1.65
5	±0.13	350	±1.65
5	±0.13	355	±1.65
5	±0.13	360	±1.65
5	±0.13	365	±1.65
5	±0.13	370	±1.65
5	±0.13	375	±1.65
5	±0.13	385	±1.91
5	±0.13	400	±1.91
5	±0.13	410	±2.03
5	±0.13	415	±2.03
5	±0.13	420	±2.03
5	±0.13	425	±2.03
5	±0.13	430	±2.03
5	±0.13	435	±2.16
5	±0.13	440	±2.16
5	±0.13	445	±2.16
5	±0.13	455	±2.16
5	±0.13	460	±2.29
5	±0.13	475	±2.29
5	±0.13	480	±2.29
5	±0.13	490	±2.41
5	±0.13	500	±2.41
5	±0.13	510	±2.41
5	±0.13	525	±2.41
5	±0.13	530	±2.41
5	±0.13	540	±2.54
5	±0.13	570	±2.67
5	±0.13	730	±3.05
5.05	±0.13	37	±0.38
5.1	±0.13	255	±1.52
5.2	±0.13	82	±0.61
5.3	±0.13	41.4	±0.38
5.3	±0.13	49.2	±0.46
5.3	±0.13	57.4	±0.46
5.3	±0.13	107.32	±0.76
5.3	±0.13	110.49	±0.76
5.3	±0.13	128	±0.94
5.3	±0.13	140	±0.94
5.3	±0.13	368	±1.78
5.33	±0.13	12.07	±0.13
5.33	±0.13	17.99	±0.25
5.33	±0.13	18.42	±0.25
5.33	±0.13	19.99	±0.25
5.33	±0.13	21.59	±0.25
5.33	±0.13	23.17	±0.25
5.33	±0.13	24.77	±0.25
5.33	±0.13	26.34	±0.25
5.33	±0.13	27.94	±0.30
5.33	±0.13	29.52	±0.30
5.33	±0.13	31.12	±0.30
5.33	±0.13	32.69	±0.30
5.33	±0.13	34.29	±0.30

C/S= 6 ~ 19			
C/S	Tolerance	ID	Tolerance
6.3	±0.13	33	±0.30
6.3	±0.13	124.7	±0.94
6.3	±0.13	238	±1.40
6.3	±0.13	315	±1.65
6.35	±0.13	203.2	±1.40
6.4	±0.13	18	±0.25
6.48	±0.13	23.13	±0.25
6.48	±0.13	92.71	±0.71
6.5	±0.13	10	±0.13
6.5	±0.13	47.5	±0.46
6.5	±0.13	48	±0.46
6.5	±0.13	50	±0.46
6.5	±0.13	55	±0.46
6.5	±0.13	60	±0.51
6.5	±0.13	74	±0.61
6.5	±0.13	80	±0.61
6.5	±0.13	100	±0.84
6.5	±0.15	177	±1.02
6.5	±0.13	180	±1.14
6.5	±0.13	240	±1.40
6.5	±0.13	265	±1.52
6.5	±0.13	350	±1.78
6.5	±0.13	365	±1.78
6.5	±0.13	410	±1.91
6.7	±0.13	126	±0.94
7	±0.15	10	±0.13
7	±0.15	15	±0.23
7	±0.15	18	±0.23
7	±0.15	25	±0.25
7	±0.15	30	±0.25
7	±0.15	39	±0.38
7	±0.15	40	±0.38
7	±0.15	50	±0.46
7	±0.15	53	±0.46
7	±0.15	56	±0.46
7	±0.15	57	±0.46
7	±0.15	59	±0.46
7	±0.15	60	±0.51
7	±0.15	63	±0.51
7	±0.15	74	±0.51
7	±0.15	82	±0.61
7	±0.15	86	±0.61
7	±0.15	87	±0.61
7	±0.15	88	±0.61
7	±0.15	95	±0.71
7	±0.15	99	±0.71
7	±0.15	104	±0.71
7	±0.15	108	±0.76
7	±0.15	110	±0.76
7	±0.15	112	±0.76
7	±0.15	113.67	±0.76
7	±0.15	116.8	±0.76
7	±0.15	120.02	±0.76
7	±0.15	123.2	±0.76
7	±0.15	126.36	±0.94
7	±0.15	129.54	±0.94
7	±0.15	132.72	±0.94
7	±0.15	135.89	±0.94
7	±0.15	139.7	±0.94
7	±0.15	142.24	±0.94
7	±0.15	145.42	±0.94
7	±0.15	148.6	±0.94
7	±0.15	151.77	±0.94
7	±0.15	158.12	±1.02
7	±0.15	164.47	±1.02
7	±0.15	166.7	±1.02

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance
4	±0.10	430	±2.03
4	±0.10	438	±2.16
4	±0.10	460	±2.29
4	±0.10	470	±2.29
4	±0.10	480	±2.29
4	±0.10	490	±2.41
4	±0.10	505	±2.41
4	±0.10	510	±2.41
4	±0.10	525	±2.41
4	±0.10	531.56	±2.41
4	±0.10	540	±2.54
4	±0.10	590	±2.79
4.1	±0.10	86	±0.61
4.2	±0.10	14	±0.23
4.2	±0.10	112.5	±0.76
4.2	±0.10	128	±0.94
4.35	±0.10	6.1	±0.13
4.35	±0.10	106	±0.76
4.4	±0.10	7.6	±0.13
4.4	±0.10	135	±0.94
4.5	±0.10	9.5	±0.13
4.5	±0.10	14	±0.23
4.5	±0.10	15	±0.13
4.5	±0.10	15.5	±0.23
4.5	±0.10	16	±0.23
4.5	±0.10	17	±0.25
4.5	±0.10	18	±0.25
4.5	±0.10	22	±0.25
4.5	±0.10	24	±0.25
4.5	±0.10	25	±0.25
4.5	±0.10	26	±0.25
4.5	±0.10	28	±0.30
4.5	±0.10	29	±0.30
4.5	±0.10	30	±0.30
4.5	±0.10	31	±0.30
4.5	±0.10	33	±0.30
4.5	±0.10	34	±0.30
4.5	±0.10	35	±0.30
4.5	±0.10	36	±0.38
4.5	±0.10	37	±0.38
4.5	±0.10	38	±0.38
4.5	±0.10	39	±0.38
4.5	±0.10	40	±0.38
4.5	±0.10	41	±0.38
4.5	±0.10	42	±0.38
4.5	±0.10	43	±0.38
4.5	±0.10	44	±0.38
4.5	±0.10	45	±0.38
4.5	±0.10	46	±0.38
4.5	±0.10	47	±0.46
4.5	±0.10	48	±0.46
4.5	±0.10	49	±0.46
4.5	±0.10	50	±0.46
4.5	±0.10	51	±0.46
4.5	±0.10	53	±0.46
4.5	±0.10	55	±0.46
4.5	±0.10	56	±0.46
4.5	±0.10	58	±0.51
4.5	±0.10	59	±0.46
4.5	±0.10	60	±0.46
4.5	±0.10	61	±0.51
4.5	±0.10	62	±0.51
4.5	±0.10	63	±0.51
4.5	±0.10	64	±0.51
4.5	±0.10	65	±0.51
4.5	±0.10	66	±0.51

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5.33	±0.13	37.47	±0.38
5.33	±0.13	39.2	±0.38
5.33	±0.13	40.64	±0.38
5.33	±0.13	42.5	±0.38
5.33	±0.13	43.82	±0.38
5.33	±0.13	45	±0.38
5.33	±0.13	46.99	±0.38
5.33	±0.13	48.3	±0.46
5.33	±0.13	50.16	±0.46
5.33	±0.13	53.34	±0.46
5.33	±0.13	54.4	±0.46
5.33	±0.13	56.52	±0.46
5.33	±0.13	56.52	±0.46
5.33	±0.13	59.69	±0.46
5.33	±0.13	62.87	±0.51
5.34	±0.13	64.47	±0.51
5.33	±0.13	65.6	±0.51
5.33	±0.13	66.04	±0.51
5.33	±0.13	69.22	±0.51
5.33	±0.13	72.4	±0.51
5.33	±0.13	74.6	±0.61
5.33	±0.13	75.54	±0.61
5.33	±0.13	78.74	±0.61
5.33	±0.13	79.77	±0.61
5.33	±0.13	81.92	±0.61
5.33	±0.13	85.09	±0.61
5.33	±0.13	88.27	±0.61
5.33	±0.13	89.69	±0.71
5.33	±0.13	91.44	±0.71
5.33	±0.13	94.62	±0.71
5.33	±0.13	97.8	±0.71
5.33	±0.13	100.97	±0.71
5.33	±0.13	104.14	±0.71
5.33	±0.13	113.67	±0.76
5.33	±0.13	116.84	±0.76
5.33	±0.13	117.5	±0.76
5.33	±0.13	120.02	±0.76
5.33	±0.13	123.19	±0.76
5.33	±0.13	126.37	±0.94
5.33	±0.13	129.54	±0.94
5.33	±0.13	135.89	±0.94
5.33	±0.13	139.07	±0.94
5.33	±0.13	142.88	±0.94
5.33	±0.13	144.5	±0.94
5.33	±0.13	145.4	±0.94
5.33	±0.13	149.23	±0.94
5.33	±0.13	151.77	±0.94
5.33	±0.13	158.12	±1.02
5.33	±0.13	158.12	±1.02
5.33	±0.13	164.47	±1.02
5.33	±0.13	170.82	±1.02
5.33	±0.13	177.1	±1.02
5.33	±0.13	183.52	±1.14
5.33	±0.13	189.87	±1.14
5.33	±0.13	196.22	±1.14
5.33	±0.13	202.57	±1.14
5.33	±0.13	208.92	±1.27
5.33	±0.13	215.27	±1.27
5.33	±0.13	221.62	±1.27
5.33	±0.13	227.97	±1.27
5.33	±0.13	234.2	±1.40
5.33	±0.13	240.67	±1.40
5.33	±0.13	247.02	±1.40
5.33	±0.13	253.37	±1.40
5.33	±0.13	261	±1.40
5.33	±0.13	266.07	±1.40

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance
7	±0.15	170.82	±1.02
7	±0.15	177.7	±1.02
7	±0.15	183.52	±1.14
7	±0.15	187.3	±1.14
7	±0.15	189.87	±1.14
7	±0.15	196.22	±1.14
7	±0.15	202.57	±1.14
7	±0.15	206	±1.27
7	±0.15	208.92	±1.27
7	±0.15	211.02	±1.27
7	±0.15	215.27	±1.27
7	±0.15	221.69	±1.27
7	±0.15	225	±1.27
7	±0.15	227.97	±1.27
7	±0.15	234	±1.40
7	±0.15	240.67	±1.40
7	±0.15	247	±1.40
7	±0.15	253.37	±1.40
7	±0.15	259.7	±1.52
7	±0.15	266.07	±1.52
7	±0.15	274	±1.52
7	±0.15	278.77	±1.52
7	±0.15	285.1	±1.52
7	±0.15	291.47	±1.65
7	±0.15	297.8	±1.65
7	±0.15	304.17	±1.65
7	±0.15	316.87	±1.65
7	±0.15	329.57	±1.65
7	±0.15	333	±1.78
7	±0.15	342.27	±1.78
7	±0.15	345	±1.78
7	±0.15	350	±1.78
7	±0.15	354.97	±1.78
7	±0.15	360	±1.78
7	±0.15	367.67	±1.78
7	±0.15	380.37	±1.78
7	±0.15	393.07	±1.91
7	±0.15	405.2	±1.91
7	±0.15	417.96	±2.03
7	±0.15	425	±2.03
7	±0.15	430.66	±2.03
7	±0.15	450	±2.16
7	±0.15	456.6	±2.16
7	±0.15	468.76	±2.16
7	±0.15	480	±2.29
7	±0.15	498	±2.41
7	±0.15	508	±2.41
7	±0.15	519	±2.41
7	±0.15	520	±2.41
7	±0.15	532.26	±2.41
7	±0.15	569.27	±2.67
7	±0.15	582.68	±2.67
7	±0.15	608.08	±2.79
7	±0.15	623	±2.92
7	±0.15	633.48	±2.92
7	±0.15	640	±3.05
7.2	±0.15	14	±0.13
7.3	±0.15	33.5	±0.30
7.5	±0.15	61.5	±0.51
7.5	±0.15	201.5	±1.14
7.55	±0.15	88.5	±0.61
7.7	±0.15	185.9	±1.14
7.7	±0.15	250	±1.40
7.7	±0.15	272	±1.52
8	±0.15	20	±0.25
8	±0.15	23.65	±0.25

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance
4.5	±0.10	68	±0.51
4.5	±0.10	70	±0.51
4.5	±0.10	71	±0.51
4.5	±0.10	72	±0.51
4.5	±0.10	75	±0.61
4.5	±0.10	76	±0.61
4.5	±0.10	79	±0.61
4.5	±0.10	82	±0.61
4.5	±0.10	88	±0.61
4.5	±0.10	92	±0.71
4.5	±0.10	96	±0.71
4.5	±0.10	100.5	±0.71
4.5	±0.10	105	±0.76
4.5	±0.10	112	±0.76
4.5	±0.10	120	±0.76
4.5	±0.10	130	±0.94
4.5	±0.10	140	±0.94
4.5	±0.10	150	±0.94
4.5	±0.10	160	±1.02
4.5	±0.10	165	±1.02
4.5	±0.10	205	±1.14
4.5	±0.10	208	±1.27
4.5	±0.10	215	±1.27
4.53	±0.10	84	±0.61
4.53	±0.10	245	±1.40
4.55	±0.10	69	±0.61
4.6	±0.10	120	±0.76
4.6	±0.10	122	±0.89
4.65	±0.10	22	±0.25
4.7	±0.10	107	±0.76
4.7	±0.10	152.9	±1.02
4.75	±0.10	102	±0.71
4.75	±0.10	106	±0.76
4.8	±0.10	18	±0.25
4.8	±0.10	32	±0.30
4.84	±0.10	153.2	±0.94

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5.33	±0.13	271	±1.52
5.33	±0.13	278.77	±1.65
5.33	±0.13	291.47	±1.65
5.33	±0.13	301.7	±1.65
5.33	±0.13	304.17	±1.65
5.33	±0.13	315	±1.65
5.33	±0.13	320	±1.65
5.33	±0.13	329.57	±1.78
5.33	±0.13	340	±1.78
5.33	±0.13	345	±1.78
5.33	±0.13	351.03	±1.78
5.33	±0.13	354	±1.78
5.33	±0.13	380.37	±1.78
5.33	±0.13	405.26	±1.91
5.33	±0.13	430.66	±2.03
5.33	±0.13	456.06	±2.16
5.33	±0.13	481.41	±2.29
5.33	±0.13	506.81	±2.41
5.33	±0.13	557.61	±2.54
5.33	±0.13	582.68	±2.67
5.4	±0.13	178	±1.02
5.5	±0.13	11	±0.13
5.5	±0.13	20	±0.25
5.5	±0.13	22	±0.25
5.5	±0.13	24	±0.25
5.5	±0.13	30	±0.30
5.5	±0.13	32	±0.30
5.5	±0.13	34	±0.30
5.5	±0.13	38	±0.38
5.5	±0.13	39	±0.38
5.5	±0.13	40	±0.38
5.5	±0.13	43	±0.38
5.5	±0.13	44	±0.38
5.5	±0.13	45	±0.38
5.5	±0.13	48	±0.46
5.5	±0.13	50	±0.46
5.5	±0.13	54	±0.46
5.5	±0.13	58	±0.46
5.5	±0.13	60	±0.46
5.5	±0.13	63	±0.51
5.5	±0.13	64.5	±0.51
5.5	±0.13	67.05	±0.51
5.5	±0.13	68	±0.51
5.5	±0.13	70	±0.51
5.5	±0.13	72	±0.51
5.5	±0.13	75	±0.61
5.5	±0.13	78	±0.61
5.5	±0.13	80	±0.61
5.5	±0.13	82	±0.61
5.5	±0.13	83	±0.61
5.5	±0.13	92	±0.71
5.5	±0.13	95	±0.71
5.5	±0.13	100	±0.71
5.5	±0.13	105	±0.71
5.5	±0.13	110	±0.76
5.5	±0.13	114	±0.76
5.5	±0.13	130	±0.94
5.5	±0.13	150	±0.94
5.5	±0.13	205	±1.27
5.5	±0.13	210	±1.27
5.5	±0.13	250	±1.40
5.6	±0.13	10	±0.13
5.6	±0.13	30.75	±0.30
5.7	±0.13	25	±0.25
5.7	±0.13	34.2	±0.30
5.7	±0.13	35.2	±0.38

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance
8	±0.15	26	±0.25
8	±0.15	36	±0.38
8	±0.15	50	±0.46
8	±0.15	52	±0.46
8	±0.15	55	±0.46
8	±0.15	70	±0.51
8	±0.15	72	±0.51
8	±0.15	76	±0.61
8	±0.15	80	±0.61
8	±0.15	85	±0.61
8	±0.15	92	±0.71
8	±0.15	130	±0.94
8	±0.15	135	±0.94
8	±0.15	155	±0.94
8	±0.15	160	±1.02
8	±0.15	165	±1.02
8	±0.15	170	±1.02
8	±0.15	190	±1.14
8	±0.15	195	±1.14
8	±0.15	205	±1.40
8	±0.15	210	±1.40
8	±0.15	215	±1.40
8	±0.15	220	±1.40
8	±0.15	225	±1.40
8	±0.15	235	±1.40
8	±0.15	240	±1.40
8	±0.15	250	±1.40
8	±0.15	270	±1.52
8	±0.15	278	±1.52
8	±0.15	290	±1.65
8	±0.15	300	±1.52
8	±0.15	312	±1.52
8	±0.15	320	±1.52
8	±0.15	330	±1.78
8	±0.15	340	±1.78
8	±0.15	345	±1.78
8	±0.15	350	±1.78
8	±0.15	375	±1.78
8	±0.15	400	±1.91
8	±0.15	410	±1.91
8	±	425	±2.03
8	±0.15	430	±2.03
8	±0.15	440	±2.16
8	±0.15	444	±2.16
8	±0.15	453	±2.16
8	±0.15	460	±2.29
8	±0.15	475	±2.29
8	±0.15	485	±2.29
8	±0.15	495	±2.29
8	±0.15	500	±2.41
8	±0.15	508	±2.41
8	±0.15	540	±2.54
8.4	±0.15	144.1	±0.94
8.4	±0.15	149.5	±0.94
8.4	±0.15	154.9	±0.94
8.4	±0.15	159.8	±1.02
8.4	±0.15	175.4	±1.02
8.4	±0.15	179.4	±1.14
8.4	±0.15	184.5	±1.14
8.4	±0.15	214.7	±1.40
8.4	±0.15	219.6	±1.40
8.4	±0.15	224.5	±1.40
8.4	±0.15	250	±1.40
8.4	±0.15	268.8	±1.52
8.4	±0.15	284.3	±1.52
8.4	±0.15	299.5	±1.52

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5.7	±0.13	37.2	±0.38
5.7	±0.13	39.2	±0.38
5.7	±0.13	41.2	±0.38
5.7	±0.13	44.2	±0.38
5.7	±0.13	45.3	±0.38
5.7	±0.13	47.2	±0.46
5.7	±0.13	49.2	±0.46
5.7	±0.13	51.2	±0.46
5.7	±0.13	52.6	±0.46
5.7	±0.13	54.2	±0.46
5.7	±0.13	56.6	±0.46
5.7	±0.13	57.2	±0.46
5.7	±0.13	59.3	±0.46
5.7	±0.13	61.6	±0.51
5.7	±0.13	62.6	±0.51
5.7	±0.13	64.2	±0.51
5.7	±0.13	67.2	±0.51
5.7	±0.13	69.2	±0.51
5.7	±0.13	74.6	±0.61
5.7	±0.13	76.5	±0.61
5.7	±0.13	79.2	±0.61
5.7	±0.13	81.2	±0.61
5.7	±0.13	82.2	±0.61
5.7	±0.13	84.2	±0.61
5.7	±0.13	87.2	±0.61
5.7	±0.13	89.6	±0.61
5.7	±0.13	92.2	±0.71
5.7	±0.13	94.2	±0.71
5.7	±0.13	97.2	±0.71
5.7	±0.13	99.6	±0.71
5.7	±0.13	104.2	±0.71
5.7	±0.13	109.6	±0.76
5.7	±0.13	114.3	±0.76
5.7	±0.13	119.6	±0.76
5.7	±0.13	124.6	±0.76
5.7	±0.13	126	±0.94
5.7	±0.13	129.6	±0.94
5.7	±0.13	134.6	±0.94
5.7	±0.13	139.6	±0.94
5.7	±0.13	144.4	±0.94
5.7	±0.13	149.6	±0.94
5.7	±0.13	154.9	±1.02
5.7	±0.13	159.7	±1.02
5.7	±0.13	164.27	±1.02
5.7	±0.13	169.7	±1.02
5.7	±0.13	174.2	±1.02
5.7	±0.13	179.5	±1.02
5.7	±0.13	184.2	±1.14
5.7	±0.13	189.3	±1.14
5.7	±0.13	194.2	±1.14
5.7	±0.13	199.2	±1.14
5.7	±0.13	204.2	±1.14
5.7	±0.13	209.3	±1.27
5.7	±0.13	219.34	±1.27
5.7	±0.13	224.3	±1.27
5.7	±0.13	229.2	±1.27
5.7	±0.13	234.2	±1.40
5.7	±0.13	239.3	±1.40
5.7	±0.13	249.3	±1.40
5.7	±0.13	255	±1.52
5.7	±0.13	259.2	±1.52
5.7	±0.13	269.3	±1.52
5.7	±0.13	279.3	±1.65
5.7	±0.13	289.3	±1.65
5.7	±0.13	299.2	±1.65
5.7	±0.13	309.3	±1.65

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance
8.4	±0.15	314.5	±1.52
8.4	±0.15	329.5	±1.52
8.4	±0.15	340.1	±1.78
8.4	±0.15	354.5	±1.78
8.4	±0.15	360.78	±1.78
8.4	±0.15	419.1	±2.03
8.4	±0.15	514.8	±2.41
8.4	±0.15	615	±2.92
9	±0.15	43	±0.38
9.2	±0.15	119	±0.76
9.52	±0.15	64	±0.51
9.52	±0.15	108.46	±0.76
10	±0.15	35	±0.38
10	±0.15	40	±0.38
10	±0.15	45	±0.38
10	±0.15	50	±0.46
10	±0.15	65	±0.51
10	±0.15	76	±0.61
10	±0.15	100	±0.71
10	±0.15	115	±0.76
10	±0.15	120	±0.84
10	±0.15	125	±0.84
10	±0.15	145	±0.94
10	±0.15	160	±1.02
10	±0.15	174.7	±1.02
10	±0.15	180	±1.14
10	±0.15	185	±1.14
10	±0.15	195	±1.14
10	±0.15	200	±1.14
10	±0.15	205	±1.40
10	±0.15	210	±1.40
10	±0.15	220	±1.40
10	±0.15	225	±1.40
10	±0.15	235	±1.40
10	±0.15	240	±1.40
10	±0.15	275	±1.52
10	±0.15	320	±1.52
10	±0.15	325	±1.52
10	±0.15	330	±1.78
10	±0.15	335	±1.78
10	±0.15	350	±1.78
10	±0.15	380	±1.78
10	±0.15	385	±1.78
10	±0.15	390	±1.78
10	±0.15	400	±1.91
10	±0.15	500	±2.41
10	±0.15	510	±2.41
10	±0.15	610	±2.92
10	±0.15	630	±2.92
10.2	±0.15	90.85	±0.71
11	±0.15	314	±1.52
11	±0.15	420	±2.03
11	±0.15	500	±2.41
11	±0.15	513	±2.41
11	±0.15	573	±2.67
11	±0.15	613	±2.92
11	±0.15	664	±3.05
11	±0.15	714	±3.05
11	±0.15	775	±3.05
11	±0.15	827	±3.05
11	±0.15	878	±3.05
11	±0.15	914	±3.05
11	±0.15	978	±3.05
11	±0.15	1080	±3.05
12	±0.15	184.7	±1.14
12.7	±0.15	139.7	±0.94

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance
5.7	±0.13	314.3	±1.65
5.7	±0.13	319.2	±1.65
5.7	±0.13	324.4	±1.65
5.7	±0.13	329	±1.65
5.7	±0.13	339.3	±1.78
5.7	±0.13	349.2	±1.78
5.7	±0.13	354.4	±1.78
5.7	±0.13	359.3	±1.78
5.7	±0.13	379.3	±1.78
5.7	±0.13	399.2	±1.91
5.7	±0.13	409.3	±1.91
5.7	±0.13	439.3	±2.03
5.7	±0.13	444.4	±2.03
5.7	±0.13	459.3	±2.03
5.7	±0.13	469.3	±2.13
5.7	±0.13	479.3	±2.29
5.7	±0.13	489.3	±2.29
5.7	±0.13	499.2	±2.29
5.7	±0.13	523.2	±2.29
5.8	±0.13	46.6	±0.38
5.8	±0.13	59.8	±0.46
5.8	±0.13	109	±0.76
5.8	±0.13	115	±0.76
5.8	±0.13	133	±0.94
5.8	±0.13	142.8	±0.94

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance
12.7	±0.15	209.55	±1.40
12.7	±0.15	425.7	±2.03
12.7	±0.15	493	±2.29
12.9	±0.15	76.9	±0.61
14	±0.15	220	±1.27
14	±0.15	275	±1.52
14.3	±0.15	209.55	±1.27
16	±0.15	50	±0.46
19.05	±0.15	114.3	±0.76
19.05	±0.15	139.7	±0.94
20	±0.15	398	±1.78

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance

C/S= 4 ~ 4.99			
C/S	Tolerance	ID	Tolerance

C/S= 5 ~ 5.99			
C/S	Tolerance	ID	Tolerance

C/S= 6 ~19			
C/S	Tolerance	ID	Tolerance